



Air Toxics Program Annual Report

October 7, 2025



Air Toxics Program Annual Report

Purpose

This report will describe the status of Air Toxics “Hot Spots” Program and other toxic emissions related programs implemented within the Monterey Bay Air Resources District (MBARD), which includes Monterey, Santa Cruz, and San Benito Counties. This annual report has been prepared in accordance with California Health and Safety Code (HSC) Section 44363.

Air Toxics “Hot Spots” Program

The Air Toxics "Hot Spots" Information and Assessment Act (AB 2588, 1987, Connelly) was enacted in 1987, and requires stationary sources to report the types and quantities of certain substances routinely released into the air. The goals of the Air Toxics "Hot Spots" Act are to collect emission data, to identify facilities having localized impacts, to estimate health risks, to notify nearby residents of significant risks, and to reduce those significant risks to acceptable levels. In accordance with HSC Section 44300, et seq., MBARD adopted Rules 305 and 1003 to administer the Hot Spots program.

Hots Spots Program Process

In the early 1990s, MBARD completed a full review of the facilities that existed at that time following the process described below. Based upon the methodology used in the 1990s, none of the sources evaluated triggered the notification or risk reduction requirements. In 2018, MBARD re-started this process to review existing sources within Monterey, San Benito, and Santa Cruz counties. Updated in 2015, the California Office of Environmental Health Hazard Assessment (OEHHA) risk assessment methodology incorporates childhood exposure to air toxics. Evaluations based on the updated OEHHA methodology for the same level of emissions and conditions are anticipated to show an increase in potential cancer risk. For example, the estimated residential potential inhalation cancer risk using the new OEHHA methodology may be approximately 1.5 to 3 times higher than was previously estimated.

The first step in the process is for facilities to submit a toxic emissions inventory plan (TEIP) which identifies the methods to be used for estimating toxics emissions used to develop a toxic emissions inventory. MBARD reviews the inventory and uses



The goal of the program is to collect emission data, identify facilities having localized impacts, ascertain health risks, notify nearby residents of significant risks, and reduce those significant risks to an acceptable level.



prioritization guidelines¹ to categorize facilities as low, medium or high priority. In establishing priorities, MBARD considers the potency, toxicity, quantity, and volume of hazardous materials released from the facility, the proximity of the facility to potential receptors, including, but not limited to, hospitals, schools, daycare centers, worksites, and residences, and any other factors that MBARD finds and determines may pose a significant risk to receptors. MBARD Rule 1003 establishes a cancer risk of 10 in one million as significant and a hazard index greater than 1 for non-cancer risk (acute or chronic) as significant. Sources with a prioritization score that exceeds the Rule 1003 limits are considered a high priority.

For facilities that are designated as high priority, the next step is conducting a detailed health risk assessment. The source can prepare and submit the risk assessment to MBARD or request MBARD to prepare the assessment. Once reviewed and approved by MBARD, the health risk assessment (HRA) is submitted to OEHHA for additional review of the risk assessment procedure. If the HRA results in a cancer risk greater than 10 in one million or a hazard index greater than 1, the facility is identified as potentially causing a significant health risk and must notify all exposed persons of the health risk assessment results and conduct a toxic risk reduction audit and develop a plan to implement measures to reduce that risk.

This process is streamlined for small businesses with similar characteristics such as: gas stations, dry cleaners, or auto body shops, due to the economic hardship individual reporting would cause. Industrywide risk assessments are performed for these source types which results in minimal data collection by each individual facility to assess risk.

Prioritization Score

As described above, MBARD assesses a prioritization score to each facility based on the toxic emissions inventory and following California Air Pollution Control Officers Association (CAPCOA) guidelines. Attachment A contains the prioritizations scores completed as of the date of this report. Based upon the results of the prioritization scores, each facility is designated as either a high, intermediate or low risk, as defined by the three risk categories described below.

Category No. 1 (High Level Risk)

A high-risk facility has either one of the following:

- 1) an approved HRA showing an increased cancer risk exceeding 10 in a million or a total hazard index (THI) exceeding 1.0, or
- 2) a prioritization score greater than or equal to 10.0 (HRA required).

¹ California Air Pollution Control Officers Association (CAPCOA). 2016. Air Toxic “Hot Spots” Program, Facility Prioritization Guidelines. <http://www.capcoa.org/wp-content/uploads/2016/08/CAPCOA%20Prioritization%20Guidelines%20-%20August%202016%20FINAL.pdf>



Category No. 2 (Intermediate Level Risk)

An intermediate risk facility has either one of the following:

- 1) an approved HRA showing increased cancer risk is less than 10 in a million and a THI less than 1.0, or
- 2) a prioritization score less than 10, but more than 1.0 (HRA not required).

Category No. 3 (Low Level Risk)

A low-risk facility has either one of the following:

- 1) an approved HRA showing less than 1 in a million increased cancer risk and THI less than 0.1 for each toxicological endpoint, or
- 2) a prioritization score equal to or less than 1.0 for both cancer and non-cancer health effects.

A fourth category has been included to provide a status of the facilities whose TEIRs are still in development or under MBARD review.

Category No. 4 (In Progress)

The following facilities have either:

- 1) submitted TEIP and MBARD is currently reviewing the plan,
- 2) an approved TEIP and MBARD is awaiting the Toxic Emissions Inventory Report (TEIR), or
- 3) received TEIR and is conducting a Prioritization Score Assessment.

California Air Toxics Mandates

The California Air Resources Board (CARB) has developed a number of Air Toxic Control Measures (ATCMs) to reduce emissions of air toxics. Most of these requirements are aimed at reducing diesel particulate emissions through implementation of newer, cleaner diesel engines and alternative fuel technologies. Many of the diesel engine measures have achieved their phase in period such that a newly installed diesel engine today must meet the most stringent Tier 4 standards.

In addition, California has stringent standards for vapor recovery systems to reduce vapors while fueling vehicles at service stations. Most gasoline stations have now installed monitoring equipment to help owners more rapidly determine when nozzles, hoses, and pumps need to be repaired. This was required by the In-Station Diagnostic (ISD) Program.



Finally, a program to phase out perchloroethylene emissions from dry cleaning equipment began in 2007. By the year 2023, the carcinogen perchloroethylene will no longer be allowed for use in dry cleaning. As of July 2019, there are no dry cleaners operating in MBARD which use perchloroethylene as a dry-cleaning solvent.

These and other recently enacted State programs have resulted in fewer toxic emissions impacting the public residing in Monterey, San Benito, and Santa Cruz Counties.

California Emission Guidelines and Criteria and Toxics Reporting Regulation

CARB adopted the "Regulation for the Reporting of Criteria Air Pollutants and Toxic Air Contaminants" (or CTR) to implement statewide annual reporting of criteria air pollutant and toxic air contaminant emissions data from facilities. The reporting regulation became effective January 1, 2020, with amendments effective January 1, 2022. CTR supports the mandates of AB 617, AB 197, and AB 2588. Concurrent to the rulemaking for the CTR amendments, the Air Toxics "Hot Spots" Emission Inventory Criteria and Guidelines (EICG) Regulation was also amended, due to multiple common elements between the two programs. The EICG outlines the steps discussed in this report for preparing toxic emission inventory plans and reports.

Federal Air Toxics Mandates

The US Environmental Protection Agency (EPA) has also been developing toxic emission reduction measures. Generally, these requirements apply to facilities much larger than those permitted within MBARD or have previously been complied with due to California's more restrictive emission limitations. EPA develops Maximum Achievable Control Technology (MACT) standards to reduce hazardous air pollutant (HAP) emissions from certain industry source categories. MACT requirements apply to major sources of HAPs (10 tons per year of any individual HAP or 25 tons per year of any combination of HAPs).

MBARD New Source Review

New or modified stationary sources of emissions require an MBARD permit to operate. To obtain a permit, a source must determine potential emissions and assess the associated health risk in accordance with MBARD Rule 1000. MBARD updated Rule 1000 in 2017 to incorporate the updated OEHHA risk assessment guidelines.

In 1974, the Board of Directors adopted Rule 207 (Review of New or Modified Sources), last revised in February of 2017. Rule 207 requires all new or modified sources to utilize Best Available Control Technology (BACT). BACT is applied to criteria pollutant emission such as Volatile Organic Compounds, oxides of Nitrogen (NOx), Particulate Matter (PM), etc. Implementation of this rule has been instrumental in minimizing toxic emissions from new and modified sources. Through the implementation of Rule 207 and Rule 1000, potential significant risk sources in MBARD's jurisdiction have been reducing toxic air contaminant (TAC) emissions.

MBARD Permit Requirements for Sources Emitting Toxic Air Pollutants (Rule 1000)

MBARD Rule 1000 requires an evaluation of toxic air pollutants prior to issuing a permit to operate. However, the Rule 1000 review only evaluates the risk from a permit unit which is different from AB



2588 which evaluates the combined risk of all emission units at a facility. For facilities with a single permit, the Rule 1000 review is a conservative estimate of AB 2588 risk because it is based on potential-to-emit. Whereas AB 2588 is based upon actual emissions for a given calendar year.

California Environmental Quality Act

Air quality impacts from new facilities and developments must assess whether sensitive receptors will be exposed to substantial pollutant concentrations. MBARD reviews environmental documents from local cities, counties, and other agencies and will provide comments if the analysis of sensitive receptor exposure is inadequate.

AB 2588 Program Fees

Program costs may be recovered by assessing a fee to subject facilities pursuant to Rule 305, AB 2588 Implementation Fees. MBARD is required to collect and pay fees to the State to cover CARB's cost. CARB is currently in the process of updating their AB 2588 fee rule. MBARD is also authorized by Rule 305 to assess fees to cover staff costs.

AB 2588 Review Summary

Toxic air emissions have decreased over time due to federal and state regulations, more stringent equipment emission standards, equipment retirement, and facility shutdowns. In 2017, MBARD adopted revisions to Rule 1003 to reflect the updated OEHHA Guidelines released in 2015² and the updated CAPCOA Prioritization Guidelines in 2016. In 2018, MBARD initiated evaluating existing sources in accordance with these updated guidelines by starting with toxic emissions inventories. Initially, in January 2018, MBARD notified stationary sources of our intention to re-evaluate all existing sources in accordance with these updated guidelines, commencing with facilities emitting more than 10 tons per year of total organic gases, particulate matter, nitrogen oxides, or sulfur oxides, or facilities listed in an MBARD air toxic emissions survey, inventory or report. This effort identified 26 sources to begin the re-evaluation. MBARD provided the sources with the option to submit a toxic emissions inventory plan and report, or request MBARD to prepare the emissions inventory report.

In 2019, MBARD expanded the list of facilities to review and reached out to aggregate crushing and screening facilities, hospitals, large and small military installations, large and small wastewater treatment facilities, and wineries. These facilities were instructed to submit a TEIP by February 1, 2020, followed by a Toxic Emissions Inventory Report (TEIR) 180 days after MBARD approval of the TEIP. Due to the large volume of facilities notified in 2019, MBARD requested the larger facilities to conduct their own TEIP and TEIR; however, MBARD offered assistance to the smaller facilities. For example, on August 22, 2019, MBARD held a workshop to assist the wastewater treatment facilities in understanding the requirements and providing them instruction on how to use the template emission calculation spreadsheet. In many cases, facilities were provided with extensions to complete their TEIPs and due to COVID-19, some facilities have been given longer than expected extensions to complete their TEIRs. Finally, CARB adopted revisions to CTR in 2022 which delayed emissions

² Office of Environmental Health Hazard Assessment (OEHHA). 2015. Risk Assessment Guidelines. Guidance Manual for Preparation of Health Risk Assessments. <https://oehha.ca.gov/media/downloads/crn/2015guidancemanual.pdf>



reporting for wastewater treatment facilities to until 2028. Therefore, MBARD will postpone updating the remaining wastewater treatment facilities which have not been evaluated to align with the CTR timeline.

In 2021, OEHHA completed its review of three HRAs for Community Hospital of the Monterey Peninsula, Watsonville Community Hospital, and Constellation Winery.

To date, 106 facilities have been notified of the AB 2588 review and 52 facilities have been prioritized with the following results:

- 1 High Priority after completing HRA and OEHHA Review
- 3 High Priority, HRA being finalized
- 22 Intermediate Priority
- 26 Exempt Priority

In 2023, MBARD reviewed the risk for gasoline dispensing facilities using the CARB the Gasoline Service Station Industrywide Risk Assessment Technical Guidance which was finalized in 2022. This document provides the framework to assess risk for retail gas stations. Staff began evaluating gas station risk based on this updated guidance and the calendar year 2022 throughput data collected by MBARD inspectors. MBARD completed the analysis for 92 GDFs, as shown in Attachment A, Table 2, with the following results:

- 41 Intermediate Priority
- 51 Low Priority

Gas stations with higher gasoline throughput do not necessarily result in higher risk. The distance to a receptor is an important factor in determining risk. A gas station with a lower throughput but a receptor located 20 meters away would result in a higher risk compared to a higher throughput station with a receptor located 200 meters away.

In 2024, MBARD reviewed the intermediate level facilities in Table 1, which did not conduct a Health Risk Assessment, to determine whether there has been a significant increase. The status in Table 1 identifies the facilities with intermediate risk which were reviewed. Most of these facilities are now also subject to annual emissions reporting per CTR. The emission inventory for calendar year 2024 was reported to CARB in September 2025.

In 2025, MBARD submitted the first expanded CTR emission inventory report to CARB which included toxic emissions for many sources and began to evaluate another industrywide source, emergency diesel engines. The emergency engines evaluated were individual engines at a given location. The analysis was completed using the CARB [Non-Vehicular Diesel Engine Risk Assessment Guidance](#) approved in July 2024. MBARD evaluated 287 single site emergency diesel engines. The reported data for 40 of the 287 engines in Table 3 were from the permit application evaluation reports. All of the engines evaluated have been issued permits so they comply with federal, state, and local regulations.



The analysis of the engines was a screening level, conservative estimate of risk based on the permitted limit of test and maintenance hours in order to help us identify the engines which needed further evaluation. There were 36 emergency engines with a prioritization score in the high category so these engines will be further additionally evaluated using more refined assumptions such as actual hours operated and by conducting a health risk assessment. The following summarizes the screening level results for the emergency engines:

- 134 Intermediate Priority
- 117 Low Priority

Table 1 in Attachment A includes a summary of the facilities under review in the program and the current status. Table 2 has a summary of the gas stations evaluated. Table 3 has the emergency engines evaluated with the screening level guidance along with seven engines previously evaluated using a Health Risk Assessment. MBARD will continue to work on additional review of the initial 106 facilities and the next industrywide source which is auto body shops once the CARB Industrywide Risk Assessment Guidance Document is finalized. Finally, the MBARD Fiscal Year 2025-2026 budget included an additional engineer position and this position will provide additional support to the toxics program.

Conclusion

As required by state law, this report provides an update on MBARD's AB 2588 Air Toxics "Hot Spots" Program. The current status of facilities under review in the program is shown in Attachment A. This report will be presented to MBARD's Advisory Committee for review and comments and then to the Board of Directors, both during public meetings.

Attachment A

Summary Tables

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
Greater than 10 TPY Sources					
AERA ENERGY LLC	0.24	0.10	0.96	LOW	Exempt
AMERESCO SANTA CRUZ ENERGY LLC: BUENA VISTA LANDFILL	0.97	0.10	6.49	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
AMERESCO SANTA CRUZ ENERGY LLC: JOHNSON CANYON LANDFILL	1.98	0.17	8.36	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
BIG CREEK LUMBER	0.01	0.00	1.22	INTERMEDIATE	Transition to CTR Schedule
CALPINE KING CITY COGEN, LLC	0.85	0.07	8.98	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
CHEVRON POWER HOLDING, INC. DBA SALINAS RIVER COGEN	1.56E-03	2.11E-04	6.64E-04	LOW	Exempt
CHEVRON POWER HOLDING, INC. DBA SARGENT CANYON COGEN	3.35E-03	5.31E-04	6.58E-04	LOW	Exempt
CHEVRON U.S.A. INC.	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Prioritization score in progress
CITY OF SANTA CRUZ - WWTP	15.29	1.18	67.91 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule
CONSTELLATION BRANDS U.S. OPERATIONS, INC. DBA GONZALES WINERY	3.54	0.64	38.22 (HRA<10)	INTERMEDIATE	CTR Reporting Schedule
MOSS LANDING POWER COMPANY, LLC	0.03	0.01	1.10	INTERMEDIATE	CTR Reporting Schedule

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
AERA ENERGY LLC (Formerly EXXON MOBIL CORP)	0.18	0.02	0.74	LOW	Exempt
TPWC INC (STONEWALL CANYON WINERY AND VINEYARD)	0.30	3.43	1.71	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
GRANITE ROCK COMPANY - AROMAS QUARRY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP/TEIR being updated to 2024 data
KENDALL-JACKSON WINE ESTATES, LTD DBA JACKSON FAMILY WINES	0.04	5.74E-03	0.14	LOW	Exempt
LHOIST NORTH AMERICA OF ARIZONA - NATIVIDAD PLANT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
MONTEREY ONE WATER	0.23	0.02	1.05	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
MONTEREY REGIONAL WASTE MANAGEMENT DISTRICT	2.84	0.25	24.10	HIGH	HRA under review
OLIVE SPRINGS QUARRY	0.95	0.16	2.06	INTERMEDIATE	CTR Reporting Schedule
PACIFIC SCIENTIFIC ENERGETIC MATERIALS COMPANY	0.23	0.01	2.74	INTERMEDIATE	CTR Reporting Schedule
SANTA CRUZ ENERGY, LLC	1.88E-03	1.72E-03	0.11	LOW	Exempt
STEVENS CREEK QUARRY	0.41	0.14	5.34	INTERMEDIATE	CTR Reporting Schedule
THE DON CHAPIN COMPANY	0.09	1.71E-04	0.84	LOW	Exempt
THE WINE GROUP - GOLDEN STATE VINTNERS WINERY	0.11	0.01	0.12	LOW	Exempt

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
TRICAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
UCSC	0.76	0.07	9.09	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
Small Wastewater Treatment Plants (MBARD will prepare TEIR based on data provided)					
BIG BASIN WATER & SANITATION	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Delayed due to wildfire in 2020, equipment under receivership
CALIFORNIA AMERICAN WATER COMPANY - CARMEL VALLEY RANCH RESORT	0.01	1.65E-03	0.80	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - INDIAN SPRINGS WWTP	3.24E-03	0.15	0.62	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - LAS PALMAS WWTP	0.08	0.15	0.34	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - OAK HILLS WWTP	0.01	0.15	0.20	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - SPRECKELS WWTP	0.01	0.70	1.05	INTERMEDIATE	Transition to CTR Reporting
CALIFORNIA AMERICAN WATER COMPANY - LAGUNA SECA RANCH & PASADERA ESTATES	0.04	0.15	0.20	LOW	Exempt
CALIFORNIA DEPARTMENT OF FORESTRY - BEN LOMOND CONSERVATION CAMP	0.01	0.15	0.20	LOW	Exempt

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
CALIFORNIA DEPARTMENT OF PARKS - BIG BASIN REDWOODS STATE PARK	No longer in operation				Permit cancelled in July 2024
CALIFORNIA DEPARTMENT OF PARKS AND RECREATION - BIG SUR SECTOR	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
CALIFORNIA UTILITIES SERVICE INC	Not applicable	Not applicable	Not applicable	Not applicable	Exempt per AB 2588 applicability activity thresholds
CANADA WOODS RECLAMATION FACILITY	0.10	2.32E-03	0.97	LOW	Exempt
GEORGE CHIALA FARMS INC	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
H.A. RIDER & SONS	2.96E-03	2.76E-04	0.04	LOW	Exempt
HILLTOP MUTUAL WATER SYSTEM	1.10E-03	8.68E-05	9.53E-03	LOW	Exempt
LITTLE BEAR WATER COMPANY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
MID PEN CORPORATION	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
MONTEREY HOLDING LP DBA BERNADUS LODGE AND SPA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
MOUNT HERMON ASSOCIATION INC	0.02	3.77	24.32	HIGH	HRA extension granted due to

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
					COVID-19 impact on facility
PACIFIC CASTLE MANAGEMENT INC DBA PC PRUNE TREE, LLC	0.06	0.01	6.68	INTERMEDIATE	Transition to CTR Schedule
POST RANCH LP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
RANCHO LARIOS HOMEOWNERS ASSOCIATION	0.02	1.16E-03	0.14	LOW	Exempt
SAN ARDO WATER DISTRICT	4.99E-03	3.47E-04	0.04	LOW	Exempt
SAN LUCAS WATER DISTRICT	8.19E-04	6.46E-05	7.10E-03	LOW	Exempt
SANTA LUCIA COMMUNITY SERVICE DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
SUNNYSLOPE COUNTY WATER DISTRICT	0.11	0.01	1.14	INTERMEDIATE	Transition to CTR Schedule
TAYLOR FARMS RETAIL, INC.	0.06	0.01	1.26	INTERMEDIATE	Transition to CTR Schedule
TRES PINOS COUNTY WATER DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
TRUE LEAF FARMS LLC	0.03	0.00	0.28	LOW	Exempt
WTCC VENTANA INVESTORS V LLC DBA VENTANA INN & SPA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
Large Wastewater Treatment Plant					

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
CARMEL AREA WASTEWATER DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
CITY OF GONZALES	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF GREENFIELD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF HOLLISTER – 2690 SAN JUAN HOLLISTER ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF HOLLISTER – 1321 SOUTH STREET HOLLISTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF KING CITY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF PACIFIC GROVE	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF SALINAS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF SAN JUAN BAUTISTA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF SCOTTS VALLEY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF SOLEDAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
CITY OF WATSONVILLE WASTEWATER	0.71	0.08	3.97	INTERMEDIATE	CTR Reporting Schedule
COUNTY OF MONTEREY – RMA PW	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SAN BENITO – PUBLIC WORKS DEPARTMENT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SANTA CRUZ DBA BUENA VISTA FARM LABOR HOUSING	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SANTA CRUZ DBA DAVENPORT TREATMENT LAGOON	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SANTA CRUZ DBA TRESTLE BEACH WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SANTA CRUZ DBA SAND DOLLAR BEACH WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
COUNTY OF SANTA CRUZ – BOULDER CREEK WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS
Aggregate Operations					

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
BUFFALO GYPSUM COMPANY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
CAL ROCK PRODUCTS LLC	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
GRANITE CONSTRUCTION COMPANY - FELTON	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
GRANITE CONSTRUCTION COMPANY - WORK STREET	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
GRANITE ROCK COMPANY - CIENEGA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
GRANITE ROCK COMPANY - COAST ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
GRANITE ROCK COMPANY - QUAIL HOLLOW	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
SAN BENITO SUPPLY INC - METZ	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
SWIFT TECTONICS INC	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
THE DON CHAPIN COMPANY - PINE CANYON	0.07	0.03	2.29	INTERMEDIATE	CTR Reporting Schedule
WILLIS CONSTRUCTION COMPANY INC - 2261 SAN JUAN HWY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
WILLIS CONSTRUCTION COMPANY INC - 2310 SAN JUAN ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
Wineries					
CONUNDRUM WINERY LLC	4.62E-03	2.43E-04	0.01	LOW	Exempt
DELICATO VINEYARDS DBA ALBA COAST WINERY	0.03	6.07E-04	0.25	LOW	Exempt
DELICATO VINEYARDS DBA DELICATO MONTEREY WINERY	7.19E-04	3.84E-05	0.02	LOW	Exempt
MONTEREY WINE COMPANY	0.52	0.01	0.61	LOW	Exempt
SCHEID VINEYARDS INC	0.65	0.06	0.43	LOW	Exempt
Hospitals					

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
COMMUNITY HOSPITAL OF MONTEREY PENINSULA	5.16	3.19	123.54 (HRA>10)	HIGH	Risk Reduction Plan
DOMINICAN HOSPITAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
NATIVIDAD MEDICAL CENTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
SALINAS VALLEY MEMORIAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
SAN BENITO HEALTH CARE DISTRICT	0.29	0.05	32.30 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule, OEHHA Review HRA
SOUTHERN MONTEREY COUNTY MEMORIAL DBA GEORGE LEE MEMORIAL HOSPITAL	0.02	0.03	13.95 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule
WATSONVILLE COMMUNITY HOSPITAL	0.01	0.12	33.07 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule
Small Military					
CA ARMY NATIONAL GUARD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
DEPARTMENT OF DEFENSE - MANPOWER DATA CENTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
DEPARTMENT OF HOMELAND SECURITY - US COAST GUARD STATION MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
DEPARTMENT OF HOMELAND SECURITY - US COAST GUARD SECTOR SN FCO	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
Large Military					
DEPT OF THE ARMY – FORT HUNTER LIGGETT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
DEPARTMENT OF THE ARMY – PRESIDIO OF MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review

Air Toxics Program Annual Report



Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
DEPARTMENT OF THE ARMY – PRESIDIO (ORD MILITARY COMMUNITY, SEASIDE)	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
NAVAL SUPPORT ACTIVITY MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review

*TEIR = Toxic Emission Inventory Report, HRA = Health Risk Assessment, CTR Reporting Schedule = Move reporting timeline to the California Air Resources Board’s emission reporting regulation annual requirement.

Air Toxics Program Annual Report



Table 2. Summary of Gasoline Stations Reviewed under AB 2588

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority
7-ELEVEN INC #17296	Watsonville (E Lake Rd)	0.1	1.1	LOW
7-ELEVEN INC #20608	Watsonville (Airport Dr)	0.2	0.7	LOW
7-ELEVEN INC #33011	Del Rey Oaks (Canyon Del Rey)	0.0	0.0	LOW
7-ELEVEN INC #35065	Salinas (Terven Ave)	0.2	1.1	INTERMEDIATE
7-ELEVEN INC #37983	Monterey (Lighthouse Ave)	0.2	1.3	INTERMEDIATE
7-ELEVEN INC #37986	Salinas (N Main St)	0.0	0.2	LOW
7-ELEVEN INC #38003	Santa Cruz (Ocean St)	0.3	1.9	INTERMEDIATE
7-ELEVEN INC #38004	Santa Cruz (Mission St)	0.7	7.3	INTERMEDIATE
7-ELEVEN INC #38006	Santa Cruz (Mission St)	0.5	6.3	INTERMEDIATE
7-ELEVEN INC #38008	Scotts Valley (Scotts Valley Dr)	0.5	3.7	INTERMEDIATE
AJ'S FUEL MARKET OF CAPITOLA	Capitola (Bay Ave)	0.0	0.1	LOW
ALLEN BROTHERS OIL II INC (OIL CAN HENRY'S)	Salinas (North Davis Rd)	0.0	0.2	LOW
AMERIPAK OIL COMPANY LLC (KWIK SERVE)	Santa Cruz (Mission St)	0.3	1.8	INTERMEDIATE
ANDY'S BP INC (GAS AND SHOP)	Santa Cruz (Mission St)	0.5	1.9	INTERMEDIATE
APRO LLC (UNITED PACIFIC)	Monterey (Munras Ave)	0.3	1.3	INTERMEDIATE
BANUELOS ENT INC (POCO VALERO)	Gonzales (South Alta)	0.3	0.4	LOW
BENDAROCK INC	Bradley (Jolon Rd)	0.0	0.0	LOW
BGK VILLAGE CORP (KASEY'S)	Carmel Valley (Del Fino Place)	0.1	0.2	LOW
BIG SUR LOMA VISTA LLC (BIG SUR SHELL)	Big Sur (Hwy 1)	0.7	1.0	INTERMEDIATE
BIG SUR RIVER INN	Big Sur (Hwy 1)	0.7	0.8	LOW
BP PRODUCTS NORTH AMERICA INC (ARCO)	Salinas (Kern St)	0.0	0.4	LOW
BP PRODUCTS NORTH AMERICA INC (ARCO)	King City (Broadway St)	0.0	0.2	LOW
BP PRODUCTS NORTH AMERICA INC (ARCO)	Salinas (E Alisal St)	0.0	0.7	LOW
BRAD ROSE INC (PRUNEDALE CHEVRON)	Salinas (Prunedale North Rd)	0.1	0.4	LOW
CALIFORNIA ASSOCIATES GS001 LLC	Castroville (Merritt St)	0.5	2.0	INTERMEDIATE
CARMEL HIGHLANDS SERVICE INC	Carmel (Hwy 1)	0.5	0.3	LOW
CHEVRON PRODUCTS COMPANY	Carmel (Rio Rd)	0.1	0.6	LOW
CHEVRON PRODUCTS COMPANY	Monterey (Fremont St)	0.0	0.2	LOW
CHEVRON PRODUCTS COMPANY	Capitola (41 st Ave)	0.1	0.4	LOW

Air Toxics Program Annual Report



Table 2. Summary of Gasoline Stations Reviewed under AB 2588

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority
CORNERSTONE AUTOMOTIVE SERVICE	Felton (Hwy 9)	0.5	0.8	LOW
COSTCO WHOLESALE	Santa Cruz (Harvey West)	0.0	0.4	LOW
DASSEL'S PETROLEUM INC	Scotts Valley (Janis Way)	0.2	0.2	LOW
DAVID DOAN AND MAGGIE NGUYEN (CHEVRON)	Hollister (Tres Pinos Rd)	0.1	0.4	LOW
DIAB & JOUDI INC (CORNERSTORE)	Gonzales (Alta St)	0.3	0.6	LOW
FLOYD OWENS (CHEVRON)	King City (Broadway Circle)	0.0	0.1	LOW
GAWFCO ENTERPRISES INC (PRUNEDALE FUEL AND FOOD)	Salinas (N El Camino)	0.2	1.0	INTERMEDIATE
GAWFCO ENTERPRISES INC (ROYAL OAKS VALERO)	Royal Oaks (San Juan Rd)	0.7	6.0	INTERMEDIATE
GAWFCO ENTERPRISES INC (CAPITOLA UNION 76)	Capitola (41 st)	0.5	2.2	INTERMEDIATE
GILBERT SHAW (SOLEDAD BEACON)	Soledad (Front St)	0.1	0.1	LOW
GREEN DESERT OIL GROUP INC (ARCO/AM PM)	Salinas (Auto Center Circle)	0.2	0.5	LOW
H&S ENERGY LLC (H&S ENERGY PRODUCTS)	Watsonville (Main St)	0.0	0.1	LOW
HADAD PETROLEUM INC (ARCO)	Salinas (Williams Rd)	0.3	7.0	INTERMEDIATE
HOUTAN PETROLEUM INC (COAST GASOLINE)	Capitola (41 st Ave)	0.3	2.5	INTERMEDIATE
JACKSON ENERGY	Salinas (S Sanborn Rd)	0.2	1.1	INTERMEDIATE
JACKSONS FOOD STORES	King City (Broadway St)	0.0	0.2	LOW
JACKSONS FOOD STORES	Freedom (Freedom Blvd)	0.1	0.8	LOW
JACO HILL COMPANY (LASSEN MARKET)	Soledad (N Front Rd)	0.4	1.8	INTERMEDIATE
KAR AUTO SPA INC (CRUZ CAR WASH)	Soquel (41 st)	0.2	0.0	LOW
KAR WASH INC (SPLASH CAR WASH)	Salinas (Abbott St)	0.0	0.0	LOW
KN PROPERTIES (CHEVRON)	Santa Cruz (Mission St)	0.5	2.3	INTERMEDIATE
LARRY TREVINO INC (CHEVRON)	King City (First St)	0.0	0.0	LOW
LAUREL HEIGHT CORP (SHELL)	Salinas (N Sanborn Rd)	0.2	0.8	LOW
MEG'S CARMEL VALLEY CHEVRON	Carmel Valley (Carmel Valley Rd)	0.4	1.5	INTERMEDIATE
MJ PETROLEUM INC (MOBIL)	Aromas (San Juan Rd)	0.2	0.6	LOW
MOHAMMAD T HUSSAINI (GREAT GAS AND FOOD MART)	Santa Cruz (Capitola Rd)	0.6	6.7	INTERMEDIATE
MOON S KIM (CITY GAS & LIQUOR)	Hollister (San Benito St)	0.4	2.2	INTERMEDIATE
MOSLEH MOHSSIN (BROTHERS MARKET)	Freedom (Buena Vista Dr)	0.8	0.7	LOW

Air Toxics Program Annual Report



Table 2. Summary of Gasoline Stations Reviewed under AB 2588

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority
ONETO ENTERPRISES INC (STEVE'S UNION SERVICE)	Santa Cruz (Soquel Dr)	0.0	0.2	LOW
PENINSULA PETROLEUM LLC (SHELL)	Salinas (N Main St)	0.2	1.5	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Soledad (Front St)	0.1	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Scotts Valley (Mt Hermon Rd)	0.3	2	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Salinas (S Main St)	0.0	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Salinas (N Main St)	0.1	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Capitola (41 st Ave)	0.0	0.1	LOW
PENINSULA PETROLEUM LLC (SHELL)	Pacific Grove (Lighthouse Ave)	0.4	1.7	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Soquel (Santa Cruz)	0.1	0.4	LOW
PIERCE CENTRAL LLC (ACME CENTRAL CAR WASH)	Salinas (N Main St)	0.0	0.4	LOW
PIERCE CO LP (ACME CHEVRON)	Salinas (N Main St)	0.2	2.0	INTERMEDIATE
PILOT TRAVEL CENTERS LLC	Salinas (Work St)	0.0	0.1	LOW
QUIK STOP MARKETS INC	Felton (Highway 9)	0.6	4.2	INTERMEDIATE
QUIK STOP MARKETS INC	Royal Oaks (Porter Rd)	0.3	1.9	INTERMEDIATE
QUIK STOP MARKETS INC	Freedom (Freedom Blvd)	0.3	1.7	INTERMEDIATE
QUIK STOP MARKETS INC	Hollister (San Juan Rd)	0.3	1.4	INTERMEDIATE
QUIK STOP MARKETS INC	Salinas (Williams Rd)	0.4	1.0	INTERMEDIATE
R & C MINI MART INC (BMF RACING CO)	Hollister (San Benito St)	0.8	1.1	INTERMEDIATE
ROBINSON OIL CORPORATION (ROTTEN ROBBIE)	Salinas (S Main St)	0.3	3.7	INTERMEDIATE
RON INCE (MAIN STREET AMERICAN FUELS)	Watsonville (Main St)	0.1	0.9	LOW
SAFEWAY INC	Salinas (Constitution Blvd)	0.2	0.9	LOW
SALKHI PETROLEUM INC (CHEVRON)	Aptos (Soquel Dr)	0.6	3.4	INTERMEDIATE
SALKHI PETROLEUM INC (MT HERMON 76)	Scotts Valley (Mt Hermon Rd)	0.2	0.6	LOW
SALKHI PETROLEUM INC (CHEVRON)	Felton (Hwy 9)	0.3	0.8	LOW
SANBORN VENTURES INC (DOUBLETIME)	Salinas (S Sanborn Rd)	0.4	1.9	INTERMEDIATE
SAV-ON GASOLINE INC (US PRO)	Santa Cruz (Mission St)	0.5	3.4	INTERMEDIATE
SAV-ON GASOLINE INC	Santa Cruz (Ocean St)	0.4	1.8	INTERMEDIATE
SEACLIFF SERVICES INC	Aptos (Sea Ridge Rd)	0.2	0.7	LOW
SHELL HARJAS INC (SHELL GAS & MINI MART)	Hollister (Tres Pinos Rd)	0.4	1.9	INTERMEDIATE
STAR 1 FOOD MART	Salinas (Williams Rd)	0.3	2.0	INTERMEDIATE

Air Toxics Program Annual Report



Table 2. Summary of Gasoline Stations Reviewed under AB 2588

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority
STURDY OIL COMPANY (VALLEY TRUCK STOP)	Salinas (Vertin Ave)	0.0	0.0	LOW
SUNIL KAPOOR (RANCH GAS AND FOOD)	Hollister(San Felipe Rd)	0.2	1.1	INTERMEDIATE
TORO PETROLEUM COMPANY (SHELL)	King City (Canal St)	0.1	0.3	LOW
TORO PETROLEUM COMPANY (BULK PLANT WITH STATION)	Hollister (McCray St)	0.4	0.1	LOW
WILLIAM A PIERCE INC (ACME CAR WASH CO)	Salinas (Abbott St)	0.0	0.0	LOW

Notes:

1. The chronic score is not included because the hazard index score for all the stations was less than 0.00.
2. Stations with a priority of “Intermediate” will be reviewed again in 4 years.

Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Chronic and Cancer Values Based On Using CARB Guidance Document				
Amazon.com Services LLC -HLI2	600 Ernie Drive, Hollister	0.140	0.540	LOW
Amazon.com Services LLC -HLI2	600 Ernie Drive, Hollister	0.038	0.149	LOW
American Ag Credit	924 E Blanco Rd Salinas	2.230	8.589	INTERMEDIATE
American Towers	500 LAUSEN Dr, SAN JUAN BAUTISTA	0.230	0.999	LOW
American Towers	2 MI S OF PANOCHE RD - HWY 25, HOLLISTER	1.040	1.500	INTERMEDIATE
American Towers	8 FREMONT PEAK, MONTEREY COUNTY	0.230	0.110	LOW
American Towers	8525 LOVERS LN, HOLLISTER	0.900	4.000	INTERMEDIATE
American Towers	34520 MORISOLI, SOLEDAD	0.003	0.003	LOW
American Towers	48448 LONOAK, KING CITY	1.040	3.999	INTERMEDIATE
American Towers	42822 SUSAN LN, GREENFIELD	0.900	4.000	INTERMEDIATE
California Water Service Company	CASTROVILLE BLVD #204 MORO COJO DEV, CASTROVILLE	3.030	3.670	INTERMEDIATE
California Water Service Company	18411 MEADOW RIDGE RD, SALINAS	0.670	0.870	LOW
California Water Service Company	20200 PORTOLA DR, SALINAS	1.050	0.280	LOW
California Water Service Company	1 REGENCY, SALINAS	3.420	3.690	INTERMEDIATE
California Water Service Company	RIVER ROAD & INDIAN SPRINGS - STATION 50, SALINAS	0.230	0.240	LOW
California Water Service Company	1705 KLAMATH DR, SALINAS	1.060	1.560	INTERMEDIATE
California Water Service Company	1220 SAN FERNANDO DR, SALINAS	1.200	4.630	INTERMEDIATE
California Water Service Company	BITTERWATER RD STATION 4, KING CITY	0.060	0.050	LOW
California Water Service Company	MOFFETT ST & VANDEBERG - STATION 37-01, SALINAS	0.004	0.002	LOW
California Water Service Company	499 SAN JUAN GRADE RD, SALINAS	0.650	0.740	LOW
California Water Service Company	ROGGE - DRINK WELL STATION 65, SALINAS	1.200	0.560	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
California Water Service Company	POPPYFIELD COURT - DRINK WELL STATION 63, SALINAS	1.200	1.350	INTERMEDIATE
California Water Service Company	651 BIKLE, KING CITY	2.050	1.720	INTERMEDIATE
California Water Service Company	320 MARTELLA ST, SALINAS	2.650	3.440	INTERMEDIATE
California Water Service Company	61 NAVAJO DRIVE - DRINK WELL 22, SALINAS	1.200	1.430	INTERMEDIATE
California Water Service Company	60 W BOLIVER, SALINAS	2.560	3.410	INTERMEDIATE
California Water Service Company	1320 DAYTON - STATION 47 UNIT 1 OF 2, SALINAS	0.003	0.004	LOW
California Water Service Company	439 AIRPORT, SALINAS	0.140	0.150	LOW
California Water Service Company	819 PAJARO ST, SALINAS	1.200	1.560	INTERMEDIATE
California Water Service Company	19610 ROGGE RD, SALINAS	0.570	0.270	LOW
California Water Service Company	734 VICTOR, SALINAS	0.990	1.430	INTERMEDIATE
California Water Service Company	5 MARYAL, SALINAS	1.580	1.950	INTERMEDIATE
California Water Service Company	19625 MESA RD, SALINAS	1.500	2.850	INTERMEDIATE
California Water Service Company	776 NORTHRIDGE, SALINAS	0.380	0.520	LOW
California Water Service Company	769 SAN JACINTO DR, SALINAS	2.150	3.040	INTERMEDIATE
California Water Service Company	10110 MEADOW VIEW CIR, SALINAS	0.830	0.840	LOW
California Water Service Company	107 LAS LOMAS DRIVE, ROYAL OAKS	1.260	1.430	INTERMEDIATE
California Water Service Company	1060 NORTH DAVIS, SALINAS	1.720	6.610	INTERMEDIATE
California Water Service Company	1215 BLUFF AVE, KING CITY	1.690	0.790	LOW
California Water Service Company	25655 WISTERIA CT, SALINAS	1.690	1.960	INTERMEDIATE
California Water Service Company	1001 INDUSTRIAL WAY, KING CITY	0.007	0.004	LOW
California Water Service Company	305 WINDSOR, KING CITY	4.580	3.950	INTERMEDIATE
California Water Service Company	450 HARRISON - POTABLE WATER PUMP STATION 77 Road, SALINAS	0.820	3.170	INTERMEDIATE
California Water Service Company	22010 BERRY - POTABLE WATER PUMP #49 Street, SALINAS	4.840	1.260	INTERMEDIATE
California American Water	27539 VIA SERENO, CARMEL	3.990	7.930	INTERMEDIATE

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
California American Water	9210 CARMEL VALLEY RD, CARMEL	4.410	2.130	INTERMEDIATE
California American Water	5258 CARMEL VALLEY RD, CARMEL	4.920	3.550	INTERMEDIATE
California American Water	92 PASEO DE VAQUEROS, SALINAS	0.900	1.100	INTERMEDIATE
California American Water	24739 UPPER TRAIL, CARMEL	1.420	1.610	INTERMEDIATE
California American Water	UPPER ESTRELLA DE'ORO/NEXT- 601 BELAVIDA, #PASADERA, MONTEREY	1.170	9.010	INTERMEDIATE
California American Water	SPRUANCE AND RONDA RD - PB WATER PUMP, PEBBLE BEACH	1.110	2.140	INTERMEDIATE
California American Water	HOLT ROAD -WW PUMP STATION, CARMEL VALLEY	1.310	1.630	INTERMEDIATE
California American Water	25725 VIA MALPASO, CARMEL	0.890	1.300	INTERMEDIATE
California American Water	HIGHWAY 1 - CORONA PUMP STATION, CARMEL	1.280	2.660	INTERMEDIATE
California American Water	RIFLE RANGE ROAD - POM BLDG 626, MONTEREY	0.970	0.960	LOW
California American Water	620 DEVISADERO ST, MONTEREY	1.330	1.470	INTERMEDIATE
California American Water	511 FOREST LODGE, PACIFIC GROVE	0.170	0.310	LOW
California American Water	25325 TIERRA GRANDE, CARMEL	1.240	3.190	INTERMEDIATE
California American Water	VIA LA NARANGA TERMINUS PLANT 52, CARMEL VALLEY	1.240	2.910	INTERMEDIATE
California American Water	25221 CASIANO DR, SALINAS	3.130	6.560	INTERMEDIATE
California American Water	RALPH LANE - AT END OF ROAD, SALINAS	2.040	2.810	INTERMEDIATE
California American Water	12195 CAROLA DR, CARMEL VALLEY	0.830	0.920	LOW
California American Water	24750 HIGH MEADOW DR, CARMEL	1.770	2.590	INTERMEDIATE
California American Water	247 LOWER WALDEN RD, CARMEL	0.004	0.007	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
California American Water	12755 CORTE CORDILLERA, SALINAS	0.430	0.490	LOW
California American Water	776 SLNS-MTY HWY, SALINAS	0.360	0.490	LOW
California American Water	836 CARMEL Ave, PACIFIC GROVE	1.770	6.820	INTERMEDIATE
California American Water	1561 HILBY AVE, SEASIDE	0.560	0.600	LOW
California American Water	3741 RAYMOND WAY, CARMEL	0.360	0.540	LOW
California American Water	1987 PARK CT, SEASIDE	4.920	6.790	INTERMEDIATE
California American Water	936 CARMEL, PACIFIC GROVE	2.380	4.210	INTERMEDIATE
California American Water	MESA DRIVE & HATTON - MESA PLANT, CARMEL	2.380	2.290	INTERMEDIATE
California American Water	28950 FALCON RIDGE & HAWKS FLIGHT Road, SALINAS	1.170	4.510	INTERMEDIATE
Capitola Mall	1855 41st Ave. Capitola	3.510	5.410	INTERMEDIATE
Carmel Area Wastewater District	26900 HIGHWAY 1/STATE ROUTE1, CARMEL	0.080	0.370	LOW
Carmel Unified School District	4380 Carmel Valley Road, Carmel	0.340	1.300	INTERMEDIATE
Castroville Community Services District	DEL MONTE AVENUE TERMINUS, CASTROVILLE	0.001	0.006	LOW
Castroville Community Services District	11360 COMMERCIAL PKWY, CASTROVILLE	0.330	0.510	LOW
Castroville Community Services District	9878 LOS ARBOLES CIR, CASTROVILLE	0.400	0.620	LOW
Central Fire District of Santa Cruz County	312 ESTRELLA AVE, WATSONVILLE	4.760	7.330	INTERMEDIATE
Central Fire District of Santa Cruz County	3445 THURBER LN, SANTA CRUZ	1.230	2.830	INTERMEDIATE
Central Fire District of Santa Cruz County	6934 SOQUEL DR, APTOS	5.660	8.720	INTERMEDIATE
CenturyLink Communications	915 HARKINS #C, SALINAS	0.030	0.100	LOW
CenturyLink Communications	110 RAILROAD AVE, KING CITY	2.700	6.230	INTERMEDIATE
City of Santa Cruz	320 VISTA BELLA DR - CARBONERA DRINK PUMP, SANTA CRUZ	1.060	4.080	INTERMEDIATE

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
City of Santa Cruz	4699 THURBER LN - DRINKING WATER PUMP STATION, SANTA CRUZ	1.060	4.080	INTERMEDIATE
City of Santa Cruz	1425 HIGH Street, SANTA CRUZ	0.520	1.980	INTERMEDIATE
City of Soledad	VIDA STREET X VISTA/LA CUESTA WATER TANK, SOLEDAD	1.750	6.750	INTERMEDIATE
City of Watsonville	212 HARKINS SLOUGH ROAD, WATSONVILLE, CA 95076-ND	0.640	2.480	INTERMEDIATE
City of Watsonville	6 WESTGATE DRIVE - SEWER PUMP #16, WATSONVILLE	0.620	2.380	INTERMEDIATE
City of Watsonville	101 WEST FRONT - STORMWATER PUMP STATION, WATSONVILLE	2.570	9.900	INTERMEDIATE
City of Watsonville	740 BRONTE AVE - DELATA WAY PUMP STATION, WATSONVILLE	2.570	1.230	INTERMEDIATE
City of Watsonville	100 EAST FRONT ST - STORM WATER PUMP #2, WATSONVILLE	2.680	6.180	INTERMEDIATE
City of Watsonville Water Operations	702 VISTA MONTANA DRIVE - WELL #2, WATSONVILLE	1.500	5.790	INTERMEDIATE
City of Watsonville Water Operations	101 LIGHTHOUSE DRIVE - SEAVIEW RANCH WELL #3, WATSONVILLE	0.620	2.400	INTERMEDIATE
City of Watsonville Water Operations	319 HAMES - DRINKING WATER BOOSTER, WATSONVILLE	2.040	7.840	INTERMEDIATE
City of Watsonville Water Operations	121 G SECOND ST - DRINKING WATER WELL #10, WATSONVILLE	0.760	2.940	INTERMEDIATE
City of Watsonville Water Operations	50 SKYLARK, WATSONVILLE	2.570	9.900	INTERMEDIATE
City of Watsonville Water Operations	6 EUREKA CANYON RD - DRINKING WELL #19, WATSONVILLE	2.490	9.580	INTERMEDIATE
Comcast	3200 DEL MONTE BLVD, MARINA	0.630	2.420	INTERMEDIATE
Comcast	2455 HENDERSON WAY, MONTEREY	0.014	0.053	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Comcast	109 E LAKE ST, SALINAS	0.630	2.420	INTERMEDIATE
Comcast	104 WHISPERING PINES DR, SCOTTS VALLEY	1.260	4.860	INTERMEDIATE
Comcast	2455 HENDERSON WAY, MONTEREY	0.020	0.090	LOW
County of Monterey	4601 PARKER FLATS CUT OFF, SEASIDE	0.020	0.100	LOW
County of Monterey	970 CIRCLE DRIVE - YOUTH CENTER, SALINAS	1.450	3.350	INTERMEDIATE
County of Monterey	1422 NATIVIDAD, SALINAS	0.370	1.430	INTERMEDIATE
County of Monterey	240 CHURCH - COURT HOUSE NORTH WING Street, SALINAS	1.250	4.820	INTERMEDIATE
County of Monterey	1420 Natividad Road Salinas	2.450	9.420	INTERMEDIATE
County of Monterey	845 East Laurel Drive Salinas	0.050	0.210	LOW
County of Monterey	1270 Natividad Road, Salinas	0.590	2.270	INTERMEDIATE
County of Monterey	1590 Moffet Street, Salinas	0.180	0.420	LOW
County of Monterey	168 West Alisal Street, Salinas	0.640	2.480	INTERMEDIATE
County of Monterey	855 E. Laurel Drive, Salinas	0.050	0.210	LOW
County of Santa Cruz - General Services Department	141 Blaine St, Santa Cruz	0.593	2.280	INTERMEDIATE
County of Santa Cruz - General Services Department	1400 Emeline Ave, Santa Cruz	1.380	3.190	INTERMEDIATE
County of Santa Cruz - General Services Department	1060 Emeline Ave, Santa Cruz	0.990	1.530	INTERMEDIATE
County of Santa Cruz - General Services Department	1020 Emeline Ave., Santa Cruz	0.790	3.020	INTERMEDIATE
County of Santa Cruz - General Services Department	5300 Soquel Dr, Santa Cruz	1.800	6.580	INTERMEDIATE
County of Santa Cruz - General Services Department	1430D Freedom Blvd., Watsonville	4.130	6.360	INTERMEDIATE
County of Santa Cruz - General Services Department	90 Rountree Ln, Watsonville	0.070	0.260	LOW
County of Santa Cruz - General Services Department	500 Westridge Dr., Santa Cruz	0.760	2.910	INTERMEDIATE
ENTRAVISION, INC. KSMS-TV	FREMONT PEAK SAN JUAN CANYON RD SAN JUAN BAUTISTA	0.001	0.005	LOW
Frontier California Inc.	70675 Vineyard Canyon Rd., Parkfield	0.008	0.002	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Gowan Seed Company	25445 Chualar River Road, Chualar	1.190	4.580	INTERMEDIATE
Healthy Spot-Carmel	26200 Carmel Rancho Blvd, Carmel	0.080	0.310	LOW
HH Tower Group, LLC	10805 Saddle Road, Monterey	1.040	4.000	INTERMEDIATE
HH Tower Group, LLC	10805 Saddle Road, Monterey	1.570	6.040	INTERMEDIATE
Hilton	6001 La Madron Dr, Scotts Valley	0.620	2.840	INTERMEDIATE
KIM FAMILY ENTERPRISES LLC	180 Westgate Dr Watsonville	0.430	3.340	INTERMEDIATE
KION TV / NPG of Monterey - Salinas	1550 Moffett Street, Salinas	0.410	0.630	LOW
Level 3 Communications	61921 Cattlemen Rd, San Ardo	2.970	6.850	INTERMEDIATE
Marina Coast Water District	RESERVATION & BLANCO BLDG 55, MARINA	0.290	0.450	LOW
Marina Coast Water District	PARKER FLATS CUT OFF, MARINA	0.002	0.006	LOW
Marina Coast Water District	7698 GIGLING, SEASIDE	0.380	1.310	INTERMEDIATE
Marina Coast Water District	GIGLING ROAD-THE PARKS AT MONTEREY BAY, Bldg 4395, SEASIDE	1.870	7.210	INTERMEDIATE
Marina Coast Water District	IMJIN PARKWAY BLDG 232, MARINA	0.790	3.050	INTERMEDIATE
Marina Coast Water District	RESERVATION ROAD - BLDG 701, MARINA	0.850	3.250	INTERMEDIATE
Marina Coast Water District	5790 WARRELMAN COURT - SCHOONOVER LIFT BLD5713, MARINA	0.650	2.520	INTERMEDIATE
Marina Coast Water District	LANDRUM CT BLDG 5447, MARINA	0.650	2.520	INTERMEDIATE
Marina Coast Water District	IMJIN PARKWAY - BLDG 5871, MARINA	1.370	5.270	INTERMEDIATE
Marina Coast Water District	5790 HODGES, MARINA	0.650	2.520	INTERMEDIATE
Marina Coast Water District	13330 RESERVATION, MARINA	0.030	0.110	LOW
Marina Coast Water District	400 8TH, MARINA	0.150	0.590	LOW
Marina Coast Water District	6143 CLARK COURT, MARINA	0.790	3.050	INTERMEDIATE

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Marina Coast Water District	13022 RESERVATION RD, EAST GARRISON	1.170	4.510	INTERMEDIATE
Marina Coast Water District	3279 DUNES DRIVE, MARINA	0.040	0.150	LOW
Marina Coast Water District	HAYES CIRCLE BLDG 8775, MARINA	0.900	3.030	INTERMEDIATE
Monterey Dunes Colony Mutual Water Company	195 Monterey Dunes Way Moss Landing	0.120	0.480	LOW
Meals on Wheels Monterey Peninsula	700 Jewel Ave, Pacific Grove	0.240	1.120	INTERMEDIATE
Monterey Military Housing LLC (The Parks at Monterey Bay)	5145 Farragut Rd. Monterey	0.950	3.660	INTERMEDIATE
Monterey Peninsula Surgery Centers	966 Cass Street, Suite 150, Monterey	2.190	5.050	INTERMEDIATE
Monterey Peninsula Surgery Centers	665 Munras Ave, Suite 100, Monterey	0.450	1.040	INTERMEDIATE
Monterey Peninsula Surgery Centers	2 Upper Ragsdale, Suite B-160, Monterey	0.014	0.053	LOW
Monterey Peninsula Water Management District	45 San Clemente Drive, Carmel Valley	0.530	2.020	INTERMEDIATE
KION TV / News Press Gazette of Monterey	20260 Corral Del Cielo Road	0.010	0.020	LOW
Nob Hill Foods	222 MT HERMON RD, SCOTTS VALLEY	0.080	0.350	LOW
Nob Hill Foods	1912 MAIN ST, WATSONVILLE	0.060	0.270	LOW
Nob Hill Foods	1700 AIRLINE HWY, HOLLISTER	0.080	0.350	LOW
Nob Hill Foods	809 BAY AVE, CAPITOLA	0.060	0.270	LOW
Pacific Gas and Electric	114 BRIDGE ST, SALINAS	1.140	2.640	INTERMEDIATE
Pacific Gas and Electric	SANTA RITA PEAK, SAN BENITO COUNTY	0.000	0.000	LOW
Pacific Gas and Electric	PANOCHÉ ROAD - CALL MOUNTAIN REPEATER, PAICINES	0.000	0.000	LOW
Pacific Gas and Electric	150 7TH Street, HOLLISTER	1.120	4.297	INTERMEDIATE
Pacific Gas and Electric	11 WALKER, WATSONVILLE	0.160	0.730	LOW
Pacific International Marketing Inc.	1622 Moffett St. Salinas	0.000	0.001	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Pajaro Sunny Mesa CSD	RAILROAD & ALLISON WELL SITE, WATSONVILLE	0.890	3.410	INTERMEDIATE
Pajaro Sunny Mesa CSD	1081 MARLIN LN & WAYJACK LANE WELL SITE, ROYAL OAKS	0.400	1.550	INTERMEDIATE
Pebble Beach Co	1576 CYPRESS DR - BEACH & TENNIS, PEBBLE BEACH	0.610	2.350	INTERMEDIATE
Pebble Beach Co	2136 SUNSET Drive, PACIFIC GROVE	0.320	1.240	INTERMEDIATE
Safeway	815 CANYON DEL REY RD, DEL REY OAKS	0.060	0.260	LOW
Safeway	2010 FREEDOM BLVD, FREEDOM	0.050	0.240	LOW
Safeway	5 CROSSROADS, CARMEL	0.040	0.160	LOW
Safeway	1512 CONSTITUTION Blvd, SALINAS	0.010	0.040	LOW
Safeway	2203 MISSION ST, SANTA CRUZ	0.010	0.070	LOW
Safeway	2720 41ST AVE, SOQUEL	0.010	0.040	LOW
Safeway	591 TRES PINOS RD, HOLLISTER	0.040	0.180	LOW
Safeway	900 LIGHTHOUSE AVENUE, MONTEREY	0.002	0.010	LOW
San Lorenzo Valley Water District	7710 EAST ZAYANTE Road, FELTON	3.440	7.940	INTERMEDIATE
San Lorenzo Valley Water District	600 SAN LORENZO, FELTON	1.690	3.900	INTERMEDIATE
San Lorenzo Valley Water District	365 MADRONE DR, BOULDER CREEK	1.140	2.640	INTERMEDIATE
San Lorenzo Valley Water District	1611 QUAIL HOLLOW RD, BEN LOMOND	0.720	3.310	INTERMEDIATE
Santa Cruz Port District	425 Brommer Street Ext., Santa Cruz	0.0008	0.0001	LOW
Scotts Valley Unified School District	555 GLENWOOD Drive, SCOTTS VALLEY	0.0003	0.530	LOW
Scotts Valley Unified School District	8 BEAN CREEK Road, SCOTTS VALLEY	0.0003	0.520	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Scotts Valley Unified School District	151 VINE HILL Road, SCOTTS VALLEY	0.0004	0.830	LOW
Scotts Valley Unified School District	151 BROOK KNOLL Drive, SANTA CRUZ	0.0004	0.920	LOW
Scotts Valley Water District	70 EL PUEBLO Road, SCOTTS VALLEY	0.0002	0.960	LOW
Soquel Creek Water District	2000 BONITA DR WELL, APTOS	6.010	9.250	INTERMEDIATE
Soquel Creek Water District	5738 1/2 SOQUEL DR WELL, SOQUEL	2.300	8.850	INTERMEDIATE
Soquel Creek Water District	2255 HUNTINGTON DR, APTOS	0.360	1.380	INTERMEDIATE
Soquel Creek Water District	41st & SOQUEL, SOQUEL	0.370	1.420	INTERMEDIATE
Soquel Creek Water District	3139 MAR VISTA DRIVE, APTOS	1.260	4.840	INTERMEDIATE
Soquel Creek Water District	201 AUSTRIAN, SOQUEL	1.260	4.840	INTERMEDIATE
Soquel Creek Water District	4507 CORNWELL RD PUMP STATION, SOQUEL	1.700	6.535	INTERMEDIATE
Spectrum Pacific West LLC	35 EL CAMINO REAL, GREENFIELD	1.260	4.840	INTERMEDIATE
Spectrum Pacific West LLC	475 AIRPORT BLVD, WATSONVILLE	1.360	5.240	INTERMEDIATE
Sunnyslope County Water District	2100 SOUTHSIDE RD, HOLLISTER	1.570	6.060	INTERMEDIATE
Sunnyslope County Water District	2783 SOUTHSIDE RD A, HOLLISTER	1.030	3.970	INTERMEDIATE
Sunnyslope County Water District	560 MARKS, HOLLISTER	1.050	4.030	INTERMEDIATE
Sunnyslope County Water District	2100 SOUTHSIDE RD, HOLLISTER	4.730	7.290	INTERMEDIATE
Superior Foods International	275 Westgate Drive Watsonville	0.050	0.019	LOW
Taget Corporation	133 GENERAL STILLWELL DRIVE, MARINA	0.045	0.173	LOW
The Home Depot	355 S GREEN VALLEY RD, WATSONVILLE	1.240	1.140	INTERMEDIATE
The Home Depot	1590 CANYON DEL REY BLVD, SEASIDE	0.470	0.830	LOW
The Home Depot	2600 41ST AVE, SOQUEL	2.470	1.580	INTERMEDIATE
The Home Depot	1890 N DAVIS RD, SALINAS	0.230	0.500	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
United States Geological Survey (USGS)	Palo Escrito Peak, Soledad	0.0005	0.0003	LOW
Verizon Buisness	911 Harkins Road, Salinas	0.003	0.001	LOW
Verizon Wireless	55580 LOCKWOOD Road, SAN LUCAS	0.000	0.001	LOW
Verizon Wireless	42820 SUSAN LN, GREENFIELD	0.004	0.002	LOW
Verizon Wireless	21570 POTTER RD, SALINAS	0.001	0.000	LOW
Verizon Wireless	499 LAUSEN, SAN JUAN BAUTISTA	1.180	0.680	LOW
Verizon Wireless	11 GROVE ST, WATSONVILLE	0.010	0.010	LOW
Verizon Wireless	3262 IMJIN RD, MARINA	0.010	0.010	LOW
Verizon Wireless	180 BEACH, MARINA	0.560	2.160	INTERMEDIATE
Verizon Wireless	615 7TH AVE, SANTA CRUZ	0.140	0.060	LOW
Verizon Wireless	FIFTH ST, GONZALES	0.570	0.480	LOW
Verizon Wireless	140 W BLANCO RD, SALINAS	0.470	0.450	LOW
Verizon Wireless	3400 RED WOLF DR, CARMEL	0.007	0.039	LOW
Verizon Wireless	16789 AVERY LN, SALINAS	0.290	0.250	LOW
Verizon Wireless	370 AIRPORT BLVD, WATSONVILLE	0.570	0.110	LOW
Verizon Wireless	12500 EMPIRE GRADE, SANTA CRUZ	0.006	0.003	LOW
Verizon Wireless	TABLE MOUNTAIN, PARKFIELD	0.001	0.001	LOW
Verizon Wireless	6500 SOQUEL DR, APTOS	0.020	0.010	LOW
Verizon Wireless	1276 HIGHWAY 1, MOSS LANDING	0.002	0.001	LOW
Verizon Wireless	45204 BITTERWATER RD, KING CITY	0.001	0.001	LOW
Verizon Wireless	10805 SADDLE RD, MONTEREY	0.630	0.040	LOW
Verizon Wireless	2680 BUENA VISTA RD, HOLLISTER	0.630	0.270	LOW
Verizon Wireless	17114 CACHAGUA RD, CARMEL VALLEY	0.200	0.170	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Verizon Wireless	315 SOUTHWOOD DR, SCOTTS VALLEY	0.630	0.330	LOW
Verizon Wireless	22970 HIGHWAY 17 B, LOS GATOS	0.160	0.610	LOW
Verizon Wireless	1755 DEL MONTE BLVD, SEASIDE	0.030	0.020	LOW
Verizon Wireless	7000 ROSE ACRES LN GTE, FELTON	0.030	0.010	LOW
Verizon Wireless	590 BRUNKEN AVE, SALINAS	0.060	0.240	LOW
Verizon Wireless	48448 LONOAK RD, KING CITY	0.160	0.090	LOW
Verizon Wireless	55 DUNBARTON RD, AROMAS	0.630	0.420	LOW
Verizon Wireless	20 HARRIS, SALINAS	0.007	0.007	LOW
Verizon Wireless	860 DOLAN, CASTROVILLE	0.160	0.040	LOW
Verizon Wireless	25445 CHUALAR RIVER RD, CHUALAR	0.150	0.080	LOW
Verizon Wireless	SAN ARDO/BRADLEY SEMAS MT, BRADLEY	0.001	0.0003	LOW
Verizon Wireless	HIGHWAY 101 AND ROCKS RD, SAN JUAN BAUTISTA	0.007	0.005	LOW
Verizon Wireless	8348 AIRLINE HWY, TRES PINOS	0.030	0.020	LOW
Verizon Wireless	1880 NORTH MAIN STREET, SALINAS	0.620	0.380	LOW
Verizon Wireless	2325 SOQUEL DR, SANTA CRUZ	1.040	4.000	INTERMEDIATE
Verizon Wireless	1301 MUNRAS AVENUE, MONTEREY	0.040	0.160	LOW
Verizon Wireless	1950 SAN PABLO AVE, SEASIDE	1.040	4.000	INTERMEDIATE
Verizon Wireless	1021 MONTEREY SALINAS HWY, SALINAS	0.002	0.007	LOW
Verizon Wireless	2801 MISSION ST, SANTA CRUZ	0.260	1.000	INTERMEDIATE
Vista West of Monterey, LLC	Fremont Peak, San Benito County	0.037	0.143	LOW
Wild Horse Café	50630 Mesa Verde Road King City	0.001	0.002	LOW

Air Toxics Program Annual Report



Table 3. Summary of Emergency Engines Reviewed under AB 2588

Facility Name	Address	Chronic Score	Cancer Score	Priority
Chronic and Cancer Values Based On Health Risk Assessment				
Aromas-San Juan Unified School District	2000 San Juan Hwy, San Juan Bautista	0.0002	0.894	LOW
California American Water	LINCOLN ST SOUTH ST - TANK & PUMP PLANT, CHUALAR	0.0001	0.578	LOW
California American Water	511 FOREST LODGE ROAD, PACIFIC GROVE	0.0002	0.998	LOW
California American Water	511 FOREST LODGE ROAD SUITE 100, PACIFIC GROVE	0.0002	0.998	LOW
Marina Coast Water District	630 MONTEREY ROAD, SEASIDE	0.0001	0.247	LOW
Monterey Military Housing LLC (The Parks at Monterey Bay)	598 Shubrick Rd. Monterey	0.0002	0.893	LOW
Pebble Beach Co	4005 SUNRIDGE - CORP YARD Road, PEBBLE BEACH, CA 93953	0.1300	0.490	LOW

Notes:

3. An acute score is not included because diesel particulate matter does not have an acute exposure health value ([CARB, 2024](#)).
4. Engines with a priority of "Intermediate" will be reviewed again in 4 years.