

Air Toxics Program Annual Report

September 22, 2026

Air Toxics Program Annual Report

Purpose

This report will describe the status of the Air Toxics “Hot Spots” Program and other toxic emissions-related programs implemented within the Monterey Bay Air Resources District (MBARD), which includes Monterey, Santa Cruz, and San Benito Counties. This annual report has been prepared in accordance with California Health and Safety Code (HSC) Section 44363.

Air Toxics “Hot Spots” Program

The Air Toxics "Hot Spots" Information and Assessment Act (AB 2588, 1987, Connelly) was enacted in 1987 and requires stationary sources to report the types and quantities of certain substances routinely released into the air. The goals of the Air Toxics "Hot Spots" Act are to collect emission data, to identify facilities having localized impacts, to estimate health risks, to notify nearby residents of significant risks, and to reduce those significant risks to acceptable levels. In accordance with HSC Section 44300, et seq., MBARD adopted Rules 305 and 1003 to administer the Hot Spots program.

Hot Spots Program Process

In the early 1990s, MBARD completed a full review of the facilities that existed at that time following the process described below. Based upon the methodology used in the 1990s, none of the sources evaluated triggered the notification or risk reduction requirements. In 2018, MBARD restarted this process to review existing sources within Monterey, San Benito, and Santa Cruz counties. Updated in 2015, the California Office of Environmental Health Hazard Assessment (OEHHA) risk assessment methodology incorporates childhood exposure to air toxics. Evaluations based on the updated OEHHA methodology for the same emissions levels and conditions are expected to show an increase in potential cancer risk. For example, the estimated residential potential inhalation cancer risk using the new OEHHA methodology may be approximately 1.5 to 3 times higher than was previously estimated.

The first step in the process is for facilities to submit a toxic emissions inventory plan (TEIP) which identifies the methods to be used for estimating toxics emissions used to develop a toxic emissions inventory. MBARD reviews the inventory and uses

The goal of the program is to collect emission data, identify facilities having localized impacts, ascertain health risks, notify nearby residents of significant risks, and reduce those significant risks to an acceptable level.

prioritization guidelines[1] to categorize facilities as low, medium or high priority. In establishing priorities, MBARD considers the potency, toxicity, quantity, and volume of hazardous materials released from the facility, the proximity of the facility to potential receptors, including, but not limited to, hospitals, schools, daycare centers, worksites, and residences, and any other factors that MBARD finds and determines may pose a significant risk to receptors. MBARD Rule 1003 establishes a cancer risk of 10 in one million as significant and a hazard index greater than 1 for non-cancer risk (acute or chronic) as significant. Sources with a prioritization score that exceeds the Rule 1003 limits are considered a high priority.

For facilities designated as high priority, the next step is to conduct a detailed health risk assessment. The source can prepare and submit the risk assessment to MBARD or request MBARD to prepare the assessment. Once MBARD reviews and approves the health risk assessment (HRA), the source submits it to OEHHA for additional review of the risk assessment procedure. If the HRA results in a cancer risk greater than 10 in one million or a hazard index greater than 1, the facility is identified as potentially causing a significant health risk and must notify all exposed persons of the health risk assessment results and conduct a toxic risk reduction audit and develop a plan to implement measures to reduce that risk.

This process is streamlined for small businesses with similar characteristics, such as gas stations, dry cleaners, or auto body shops, because individual reporting would cause economic hardship. Industrywide risk assessments are performed for these source types, which results in minimal data collection by each individual facility to assess risk.

Prioritization Score

As described above, MBARD assesses a prioritization score for each facility based on the toxic emissions inventory and following California Air Pollution Control Officers Association (CAPCOA) guidelines. Attachment A contains the prioritization scores completed as of the date of this report. Based upon the results of the prioritization scores, each facility is designated as either a high, intermediate or low risk, as defined by the three risk categories described below.

Category No. 1 (High Level Risk)

A high-risk facility has either one of the following:

1) an approved HRA showing an increased cancer risk exceeding 10 in a million or a total hazard index (THI) exceeding 1.0, or

2) a prioritization score greater than or equal to 10.0 (HRA required).

[1] California Air Pollution Control Officers Association (CAPCOA). 2016. Air Toxic "Hot Spots" Program, Facility Prioritization Guidelines. http://www.capcoa.org/wp-content/uploads/2016/08/CAPCOA%20Prioritization%20Guidelines%20-%20August%202016%20FINAL.pdf

Category No. 2 (Intermediate Level Risk)

An intermediate risk facility has either one of the following:

1) an approved HRA showing increased cancer risk is less than 10 in a million and a THI less than 1.0, or

2) a prioritization score less than 10, but more than 1.0 (HRA not required).

Category No. 3 (Low Level Risk)

A low-risk facility has either one of the following:

1) an approved HRA showing less than 1 in a million increased cancer risk and THI less than 0.1 for each toxicological endpoint, or

2) a prioritization score equal to or less than 1.0 for both cancer and non-cancer health effects.

A fourth category has been added to provide the status of facilities whose TEIRs are still in development or under MBARD review.

Category No. 4 (In Progress)

The following facilities have either:

1) submitted TEIP and MBARD is currently reviewing the plan,

2) an approved TEIP and MBARD is awaiting the Toxic Emissions Inventory Report (TEIR), or

3) received TEIR and is conducting a Prioritization Score Assessment.

California Air Toxics Mandates

The California Air Resources Board (CARB) has developed a number of Air Toxic Control Measures (ATCMs) to reduce emissions of air toxics. Most of these requirements aim to reduce diesel particulate emissions by implementing newer, cleaner diesel engines and alternative fuel technologies. Many diesel engine measures have reached their phase-in period, so a newly installed diesel engine today must meet the most stringent Tier 4 standards.

In addition, California has stringent standards for vapor recovery systems to reduce vapors while fueling vehicles at service stations. Most gasoline stations have now installed monitoring equipment to help owners quickly determine when nozzles, hoses, and pumps need repair. The In-Station Diagnostic (ISD) Program required this.

Finally, a program to phase out perchloroethylene emissions from dry cleaning equipment began in 2007. By the year 2023, the carcinogen perchloroethylene will no longer be allowed for use in dry cleaning. As of July 2019, there are no dry cleaners operating in MBARD which use perchloroethylene as a dry-cleaning solvent.

These State programs, in addition to grant programs which reduce emissions from mobile sources, have resulted in decreasing toxic emissions impacting the public residing in Monterey, San Benito, and Santa Cruz Counties. However, as scientific research advances new chemicals may be identified as air toxics having acute, chronic, and/or cancer risk.

On August 12, 2026, CARB released their draft Roadmap to Reduce Air Toxics to guide action on air toxics for the next 20 years and beyond. The document defines a path to strengthen, modernize, and reshape CARB's Air Toxics Program. CARB has focused their efforts on programs and regulations to reduce diesel particulate matter (DPM) over the past several decades. The Roadmap is intended to place focus on impacts from non-diesel sources while continuing to reduce DPM impacts.

California Emission Guidelines and Criteria and Toxics Reporting Regulation

CARB adopted the "Regulation for the Reporting of Criteria Air Pollutants and Toxic Air Contaminants" (or CTR) to implement statewide annual reporting of criteria air pollutant and toxic air contaminant emissions data from facilities. The reporting regulation became effective January 1, 2020, with amendments effective January 1, 2022. CTR supports the mandates of AB 617, AB 197, and AB 2588. Concurrent to the rulemaking for the CTR amendments, the Air Toxics "Hot Spots" Emission Inventory Criteria and Guidelines (EICG) Regulation was also amended, due to multiple common elements between the two programs. The EICG outlines the steps discussed in this report for preparing toxic emission inventory plans and reports.

Federal Air Toxics Mandates

The US Environmental Protection Agency (EPA) has also been developing toxic emission reduction measures. Generally, these requirements apply to facilities much larger than those permitted within MBARD or have previously been complied with due to California's more restrictive emission limitations. EPA develops Maximum Achievable Control Technology (MACT) standards to reduce hazardous air pollutant (HAP) emissions from certain industry source categories. MACT requirements apply to major sources of HAPs (10 tons per year of any individual HAP or 25 tons per year of any combination of HAPs).

MBARD New Source Review

New or modified stationary sources of emissions require an MBARD permit to operate. To obtain a permit, a source must determine potential emissions and assess the associated health risk in accordance with MBARD Rule 1000. MBARD updated Rule 1000 in 2017 to incorporate the updated OEHHA risk assessment guidelines.

In 1974, the Board of Directors adopted Rule 207 (Review of New or Modified Sources), last revised in February of 2017. Rule 207 requires all new or modified sources to utilize Best Available Control Technology (BACT). BACT is applied to criteria pollutant emission such as Volatile Organic Compounds,

oxides of Nitrogen (NOx), Particulate Matter (PM), etc. Implementation of this rule has been instrumental in minimizing toxic emissions from new and modified sources. Through the implementation of Rule 207 and Rule 1000, MBARD has reduced toxic air contaminant (TAC) emissions from potential significant risk sources in its jurisdiction.

MBARD Permit Requirements for Sources Emitting Toxic Air Pollutants (Rule 1000)

MBARD Rule 1000 requires an evaluation of toxic air pollutants prior to issuing a permit to operate. However, the Rule 1000 review evaluates risk only from a permit unit, unlike AB 2588, which evaluates the combined risk of all emission units at a facility. For facilities with a single permit, the Rule 1000 review is a conservative estimate of AB 2588 risk because it is based on the potential-to-emit. AB 2588, by contrast, is based on actual emissions for a given calendar year.

California Environmental Quality Act

Air quality impacts from new facilities and developments must assess whether sensitive receptors will be exposed to substantial pollutant concentrations. MBARD reviews environmental documents from local cities, counties, and other agencies and will provide comments if the analysis of sensitive receptor exposure is inadequate.

AB 2588 Program Fees

Program costs may be recovered by assessing a fee to subject facilities pursuant to Rule 305, AB 2588 Implementation Fees. MBARD is required to collect and pay fees to the State to cover CARB's costs. CARB is currently updating its AB 2588 fee rule. MBARD is also authorized by Rule 305 to assess fees to cover staff costs.

AB 2588 Review Summary

Toxic air emissions have decreased over time due to federal and state regulations, more stringent equipment emission standards, equipment retirement, and facility shutdowns. In 2017, MBARD adopted revisions to Rule 1003 to reflect the updated OEHHA Guidelines released in 2015[2] and the updated CAPCOA Prioritization Guidelines in 2016. In 2018, MBARD began evaluating existing sources under these updated guidelines, starting with toxic emissions inventories.

Initially, in January 2018, MBARD notified stationary sources of our intention to re-evaluate all existing sources in accordance with these updated guidelines, commencing with facilities emitting more than 10 tons per year of total organic gases, particulate matter, nitrogen oxides, or sulfur oxides, or facilities listed in an MBARD air toxic emissions survey, inventory or report. This effort identified 26 sources for re-evaluation. MBARD offered the sources the option to submit a toxic emissions inventory plan and report or to request that MBARD prepare the emissions inventory report.

In 2019, MBARD expanded the list of facilities to review and reached out to aggregate crushing and screening facilities, hospitals, large and small military installations, large and small wastewater treatment facilities, and wineries. These facilities were instructed to submit a TEIP by February 1, 2020, followed by a Toxic Emissions Inventory Report (TEIR) 180 days after MBARD approval of the TEIP.

[2] Office of Environmental Health Hazard Assessment (OEHHA). 2015. Risk Assessment Guidelines. Guidance Manual for Preparation of Health Risk Assessments. https://oehha.ca.gov/media/downloads/crnr/2015guidancemanual.pdf

Because MBARD notified a large number of facilities in 2019, it asked larger facilities to prepare their own TEIP and TEIR; however, it offered assistance to smaller facilities. CARB adopted revisions to CTR in 2022, which outlined a phased approach for emissions reporting. As the CTR phased reporting timeline begins, MBARD will realign facility reviews to the CTR schedule. For example, wastewater treatment facilities will be delayed until the 2029 reporting year, and other types, such as retail gas stations and aggregate operations, will be reviewed in the 2027 reporting year.

In 2021, OEHHA completed its review of three HRAs for Community Hospital of the Monterey Peninsula, Watsonville Community Hospital, and Constellation Winery. In November 2025, Community Hospital of the Monterey Peninsula canceled the three natural gas prime engine permits, which were the primary emission sources driving the facility's health risk. Therefore, the TEIP, TEIR, and health risk assessment for this facility will be updated.

Attachment A, Table 1 includes an ongoing summary of the facilities under review in the program and the current status. Table 2 summarizes the prioritization scores for gasoline dispensing facilities (GDFs), Table 3 summarizes the diesel emergency engines prioritization values, and Table 4 summarizes the non-diesel emergency engine prioritization values. The

MBARD updated Table 2, which now includes prioritization scores for 100 gasoline dispensing facilities (GDF) with the following results:

- 42 Intermediate Priority
- 58 Low Priority

These results represent approximately half of the permitted retail gas stations. In 2027, retail gas stations will be required to report the annual gasoline throughput to comply with CTR, so MBARD will update the risk analysis for the retail gas stations based on actual throughput in calendar year 2026.

MBARD submitted the second expanded CTR emission inventory report to CARB in 2026. As part of the CTR reporting in 2026, MBARD continued to calculate prioritization scores for diesel-fueled emergency engines. Table 3 summarizes the prioritization values for 312 diesel emergency engines with the following results:

- 175 Intermediate Priority
- 137 Low Priority

In addition to the prioritization scores, we evaluated 11 diesel engines with a health risk assessment and summarized these results at the end of Table 3. The results in Table 3 represent about one-third of the permitted diesel emergency engines.

For this report, we added emergency engines fueled by natural gas, gasoline, or propane and calculated the screening-level prioritization scores. Table 4 summarizes the screening level values for 48 emergency engines with the following results:

- 2 Intermediate Priority
- 46 Low Priority

In addition, we evaluated five natural gas engines with a health risk assessment, and report these results at the end of Table 4. The results in Table 4 represent about 12% of the permitted natural gas, gasoline, or propane-fueled emergency engines.

For the 525 facilities reviewed, the overall counts by risk category are as follows:

- Low: 284
- Intermediate: 240
- High: 1 (MBARD reviewing health risk assessment)

Conclusion

As required by state law, this report provides an update on MBARD's AB 2588 Air Toxics "Hot Spots" Program. This report will be presented to MBARD's Advisory Committee for review and comments and then to the Board of Directors, both during public meetings.

Attachment A

Summary Tables

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
Greater than 10 TPY Sources					
AERA ENERGY LLC	0.24	0.10	0.96	LOW	Exempt
AMERESCO SANTA CRUZ ENERGY LLC: JOHNSON CANYON LANDFILL	1.98	0.17	8.36	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
BIG CREEK LUMBER	0.01	0.00	1.22	INTERMEDIATE	Transition to CTR Schedule
CALPINE KING CITY COGEN, LLC	0.85	0.07	8.98	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
CHEVRON POWER HOLDING, INC. DBA SALINAS RIVER COGEN	1.56E-03	2.11E-04	6.64E-04	LOW	Exempt
CHEVRON U.S.A. INC.	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Prioritization score in progress
CITY OF SANTA CRUZ - WWTP	15.29	1.18	67.91 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule
THE WINE GROUP - GONZALES WINERY (formerly Constellation)	3.54	0.64	38.22 (HRA<10)	INTERMEDIATE	CTR Reporting Schedule
MOSS LANDING POWER COMPANY, LLC	0.03	0.01	1.10	INTERMEDIATE	CTR Reporting Schedule
AERA ENERGY LLC (formerly EXXON MOBIL CORP)	0.18	0.02	0.74	LOW	Exempt
TPWC INC (STONEWALL CANYON WINERY AND VINEYARD)	0.30	3.43	1.71	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
GRANITE ROCK COMPANY - AROMAS QUARRY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP/TEIR being updated to 2024 data
KENDALL-JACKSON WINE ESTATES, LTD DBA JACKSON FAMILY WINES	0.04	5.74E-03	0.14	LOW	Exempt
LHOIST NORTH AMERICA OF ARIZONA - NATIVIDAD PLANT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
MONTEREY ONE WATER	0.23	0.02	1.05	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule
MONTEREY REGIONAL WASTE MANAGEMENT DISTRICT	2.84	0.25	24.10	HIGH	HRA under review (HRA values <1)
OLIVE SPRINGS QUARRY	0.95	0.16	2.06	INTERMEDIATE	CTR Reporting Schedule
PACIFIC SCIENTIFIC ENERGETIC MATERIALS COMPANY	0.23	0.01	2.74	INTERMEDIATE	CTR Reporting Schedule
SANTA CRUZ ENERGY, LLC	1.88E-03	1.72E-03	0.11	LOW	Exempt
STEVENS CREEK QUARRY	0.41	0.14	5.34	INTERMEDIATE	CTR Reporting Schedule
THE DON CHAPIN COMPANY	0.09	1.71E-04	0.84	LOW	Exempt
THE WINE GROUP - GOLDEN STATE VINTNERS WINERY	0.11	0.01	0.12	LOW	Exempt
TRICAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
UCSC	0.76	0.07	9.09	INTERMEDIATE	Update review, no significant increase, CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
Small Wastewater Treatment Plants (MBARD will prepare TEIR based on data provided)					
CALIFORNIA AMERICAN WATER COMPANY - CARMEL VALLEY RANCH RESORT	0.01	1.65E-03	0.80	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - INDIAN SPRINGS WWTP	3.24E-03	0.15	0.62	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - LAS PALMAS WWTP	0.08	0.15	0.34	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - OAK HILLS WWTP	0.01	0.15	0.20	LOW	Exempt
CALIFORNIA AMERICAN WATER COMPANY - SPRECKELS WWTP	0.01	0.70	1.05	INTERMEDIATE	Transition to CTR Reporting
CALIFORNIA AMRICAN WATER COMPANY - LAGUNA SECA RANCH & PASADERA ESTATES	0.04	0.15	0.20	LOW	Exempt
CALIFORNIA DEPARTMENT OF FORESTRY - BEN LOMOND CONSERVATION CAMP	0.01	0.15	0.20	LOW	Exempt
CALIFORNIA DEPARTMENT OF PARKS AND RECREATION - BIG SUR SECTOR	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Data received, MBARD will calculate emissions
CALIFORNIA UTILITIES SERVICE INC	Not applicable	Not applicable	Not applicable	Not applicable	Exempt
CANADA WOODS RECLAMATION FACILITY	0.10	2.32E-03	0.97	LOW	Exempt
GEORGE CHIALA FARMS INC	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
H.A. RIDER & SONS	2.96E-03	2.76E-04	0.04	LOW	Exempt
HILLTOP MUTUAL WATER SYSTEM	1.10E-03	8.68E-05	9.53E-03	LOW	Exempt
LITTLE BEAR WATER COMPANY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
MID PEN CORPORATION	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
MONTEREY HOLDING LP DBA BERNADUS LODGE AND SPA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
MOUNT HERMON ASSOCIATION INC	0.02	3.77	24.32	IN PROGRESS	Engines at facility changed so TEIR being updated
PACIFIC CASTLE MANAGEMENT INC DBA PC PRUNE TREE, LLC	0.06	0.01	6.68	INTERMEDIATE	Transition to CTR Schedule
POST RANCH LP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
RANCHO LARIOS HOMEOWNERS ASSOCIATION	0.02	1.16E-03	0.14	LOW	Exempt
SAN ARDO WATER DISTRICT	4.99E-03	3.47E-04	0.04	LOW	Exempt
SAN LUCAS WATER DISTRICT	8.19E-04	6.46E-05	7.10E-03	LOW	Exempt
SANTA LUCIA COMMUNITY SERVICE DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
SUNNYSLOPE COUNTY WATER DISTRICT	0.11	0.01	1.14	INTERMEDIATE	Transition to CTR Schedule
TAYLOR FARMS RETAIL, INC.	0.06	0.01	1.26	INTERMEDIATE	Transition to CTR Schedule
TRES PINOS COUNTY WATER DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
TRUE LEAF FARMS LLC	0.03	0.00	0.28	LOW	Exempt
WTCC VENTANA INVESTORS V LLC DBA VENTANA INN & SPA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
Large Wastewater Treatment Plant					
CARMEL AREA WASTEWATER DISTRICT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF GONZALES	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF GREENFIELD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
CITY OF HOLLISTER – 2690 SAN JUAN HOLLISTER ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF HOLLISTER – 1321 SOUTH STREET HOLLISTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF KING CITY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF PACIFIC GROVE	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF SALINAS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF SAN JUAN BAUTISTA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF SCOTTS VALLEY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF SOLEDAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CITY OF WATSONVILLE WASTEWATER	0.71	0.08	3.97	INTERMEDIATE	CTR Reporting Schedule
COUNTY OF MONTEREY – RMA PW	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SAN BENITO – PUBLIC WORKS DEPARTMENT	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SANTA CRUZ DBA BUENA VISTA FARM LABOR HOUSING	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SANTA CRUZ DBA DAVENPORT TREATMENT LAGOON	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SANTA CRUZ DBA TRESTLE BEACH WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SANTA CRUZ DBA SAND DOLLAR BEACH WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
COUNTY OF SANTA CRUZ – BOULDER CREEK WWTP	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
Aggregate Operations					
BUFFALO GYPSUM COMPANY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
CAL ROCK PRODUCTS LLC	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
GRANITE CONSTRUCTION COMPANY - FELTON	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
GRANITE CONSTRUCTION COMPANY - WORK STREET	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
GRANITE ROCK COMPANY - CIENEGA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
GRANITE ROCK COMPANY - COAST ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
GRANITE ROCK COMPANY - QUAIL HOLLOW	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
SAN BENITO SUPPLY INC - METZ	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
SWIFT TECTONICS INC	0.04	0.49	0.06	LOW	CTR Reporting Schedule
THE DON CHAPIN COMPANY - PINE CANYON	0.07	0.03	2.29	INTERMEDIATE	CTR Reporting Schedule
WILLIS CONSTRUCTION COMPANY INC - 2261 SAN JUAN HWY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
WILLIS CONSTRUCTION COMPANY INC - 2310 SAN JUAN ROAD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	CTR Reporting Schedule
Wineries					
CONUNDRUM WINERY LLC	4.62E-03	2.43E-04	0.01	LOW	Exempt
DELICATO VINEYARDS DBA ALBA COAST WINERY	0.03	6.07E-04	0.25	LOW	Exempt
DELICATO VINEYARDS DBA DELICATO MONTEREY WINERY	7.19E-04	3.84E-05	0.02	LOW	Exempt

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
MONTEREY WINE COMPANY	0.52	0.01	0.61	LOW	Exempt
SCHEID VINEYARDS INC	0.65	0.06	0.43	LOW	Exempt
Hospitals					
COMMUNITY HOSPITAL OF MONTEREY PENINSULA	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	Permits cancelled and no longer operate three natural gas prime engines which were main contribution to previous High Priority. TEIP/TEIR update.
DOMINICAN HOSPITAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIR under review
NATIVIDAD MEDICAL CENTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
SALINAS VALLEY MEMORIAL	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
SAN BENITO HEALTH CARE DISTRICT	0.29	0.05	32.30 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule, OEHHA Review HRA
SOUTHERN MONTEREY COUNTY MEMORIAL DBA GEORGE LEE MEMORIAL HOSPITAL	0.02	0.03	13.95 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule
WATSONVILLE COMMUNITY HOSPITAL	0.01	0.12	33.07 (HRA <10)	INTERMEDIATE	CTR Reporting Schedule

Table 1. Summary of Facilities Reviewed under AB 2588 (as of report date)

Facility Name	Acute Score	Chronic Score	Cancer Score	Priority	Status*
Small Military					
CA ARMY NATIONAL GUARD	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
DEPARTMENT OF DEFENSE - MANPOWER DATA CENTER	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
DEPARTMENT OF HOMELAND SECURITY - US COAST GUARD STATION MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
DEPARTMENT OF HOMELAND SECURITY - US COAST GUARD SECTOR SN FCO	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP due
Large Military					
DEPT OF THE ARMY – FORT HUNTER LIGGETT	0.32	0.21	0.89	LOW	CTR Reporting Schedule
DEPARTMENT OF THE ARMY – PRESIDIO OF MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
DEPARTMENT OF THE ARMY – PRESIDIO (ORD MILITARY COMMUNITY, SEASIDE)	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review
NAVAL SUPPORT ACTIVITY MONTEREY	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	TEIP under review

*TEIR = Toxic Emission Inventory Report, HRA = Health Risk Assessment, CTR Reporting Schedule = Move reporting timeline to the California Air Resources Board's emission reporting regulation annual requirement.

Table 2. Summary of Gasoline Stations Reviewed under AB 2588[1]

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority[2]
7-ELEVEN INC #17296	Watsonville (E Lake Rd)	0.1	1.1	LOW
7-ELEVEN INC #20608	Watsonville (Airport Dr)	0.2	0.7	LOW
7-ELEVEN INC #33011	Del Rey Oaks (Canyon Del Rey)	0.0	0.0	LOW
7-ELEVEN INC #35065	Salinas (Terven Ave)	0.2	1.1	INTERMEDIATE
7-ELEVEN INC #37983	Monterey (Lighthouse Ave)	0.2	1.3	INTERMEDIATE
7-ELEVEN INC #37986	Salinas (N Main St)	0.0	0.2	LOW
7-ELEVEN INC #38003	Santa Cruz (Ocean St)	0.3	1.9	INTERMEDIATE
7-ELEVEN INC #38004	Santa Cruz (Mission St)	0.7	7.3	INTERMEDIATE
7-ELEVEN INC #38006	Santa Cruz (Mission St)	0.5	6.3	INTERMEDIATE
7-ELEVEN INC #38008	Scotts Valley (Scotts Valley Dr)	0.5	3.7	INTERMEDIATE
ABDO M ALOMARI (CHEVRON)	Castroville (Merritt St)	0.4	3.7	INTERMEDIATE
AJ'S FUEL MARKET OF CAPITOLA	Capitola (Bay Ave)	0.0	0.1	LOW
ALLEN BROTHERS OIL II INC (OIL CAN HENRY'S)	Salinas (North Davis Rd)	0.0	0.2	LOW
AMERIPAK OIL COMPANY LLC (KWIK SERVE)	Santa Cruz (Mission St)	0.3	1.8	INTERMEDIATE
ANDY'S BP INC (GAS AND SHOP)	Santa Cruz (Mission St)	0.5	1.9	INTERMEDIATE
APRO LLC (UNITED PACIFIC)	Monterey (Munras Ave)	0.3	1.3	INTERMEDIATE
AS CONVENIENCE AND ENERGY INC	Salinas (Prunedale North)	0.1	0.4	LOW
AVTAR PETROLEUM INC (JAYS FOOD & GAS)	Soledad (Silliman Rd)	0.3	0.7	LOW
BANUELOS ENT INC (POCO VALERO)	Gonzales (South Alta)	0.3	0.4	LOW
BENDAROCK INC	Bradley (Jolon Rd)	0.0	0.0	LOW
BGK VILLAGE CORP (KASEY'S)	Carmel Valley (Del Fino Place)	0.1	0.2	LOW
BIG SUR LOMA VISTA LLC (BIG SUR SHELL)	Big Sur (Hwy 1)	0.7	1.0	INTERMEDIATE
BIG SUR RIVER INN	Big Sur (Hwy 1)	0.7	0.8	LOW
BP PRODUCTS NORTH AMERICA INC (ARCO)	Salinas (Kern St)	0.1	1.3	INTERMEDIATE
BP PRODUCTS NORTH AMERICA INC (ARCO)	King City (Broadway St)	0.0	0.2	LOW
BP PRODUCTS NORTH AMERICA INC (ARCO)	Salinas (E Alisal St)	0.0	0.7	LOW
BRAD ROSE INC (PRUNEDALE CHEVRON)	Salinas (Prunedale North Rd)	0.1	0.4	LOW
CARMEL HIGHLANDS SERVICE INC	Carmel (Hwy 1)	0.5	0.3	LOW
CHEVRON PRODUCTS COMPANY	Carmel (Rio Rd)	0.1	0.6	LOW

Table 2. Summary of Gasoline Stations Reviewed under AB 2588[1]

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority[2]
CHEVRON PRODUCTS COMPANY	Monterey (Fremont St)	0.0	0.2	LOW
CHEVRON PRODUCTS COMPANY	Capitola (41st Ave)	0.1	0.4	LOW
COLMA STORE INC (SANTA CRUZ 76)	Santa Cruz (Soquel Ave)	0.0	0.2	LOW
CORNERSTONE AUTOMOTIVE SERVICE	Felton (Hwy 9)	0.5	0.8	LOW
COSTCO WHOLESALE	Santa Cruz (Harvey West)	0.0	0.4	LOW
DASSEL'S PETROLEUM INC	Scotts Valley (Janis Way)	0.2	0.2	LOW
DAVID DOAN AND MAGGIE NGUYEN (CHEVRON)	Hollister (Tres Pinos Rd)	0.1	0.4	LOW
DIAB & JOUDI INC (CORNERSTORE)	Gonzales (Alta St)	0.3	0.6	LOW
ECO GAS AND MART	Salinas (De La Torre St)	0.4	0.2	LOW
FLOYD OWENS (CHEVRON)	King City (Broadway Circle)	0.0	0.1	LOW
GAWFCO ENTERPRISES INC (PRUNEDALE FUEL AND FOOD)	Salinas (N El Camino)	0.2	1.0	INTERMEDIATE
GAWFCO ENTERPRISES INC (ROYAL OAKS VALERO)	Royal Oaks (San Juan Rd)	0.7	6.0	INTERMEDIATE
GAWFCO ENTERPRISES INC (CAPITOLA UNION 76)	Capitola (41st)	0.5	2.2	INTERMEDIATE
GILBERT SHAW (SOLEDAD BEACON)	Soledad (Front St)	0.1	0.1	LOW
GREEN DESERT OIL GROUP INC (ARCO/AM PM)	Salinas (Auto Center Circle)	0.2	0.5	LOW
H&S ENERGY LLC (H&S ENERGY PRODUCTS)	Watsonville (Main St)	0.0	0.1	LOW
HADAD PETROLEUM INC (ARCO)	Salinas (Williams Rd)	0.3	4.7	INTERMEDIATE
HOUTAN PETROLEUM INC (COAST GASOLINE)	Capitola (41st Ave)	0.3	2.5	INTERMEDIATE
JACKSON ENERGY	Salinas (S Sanborn Rd)	0.2	1.1	INTERMEDIATE
JACKSONS FOOD STORES	King City (Broadway St)	0.0	0.2	LOW
JACKSONS FOOD STORES	Freedom (Freedom Blvd)	0.1	0.8	LOW
JACO HILL COMPANY (LASSEN MARKET)	Soledad (N Front Rd)	0.4	1.8	INTERMEDIATE
JAIDEEP PROPERTIES LLC (PRESTIGE PETROLEUM)	Watsonville (Main St)	0.1	0.9	LOW
KAR AUTO SPA INC (CRUZ CAR WASH)	Soquel (41st)	0.2	0.0	LOW
KAR WASH INC (SPLASH CAR WASH)	Salinas (Abbott St)	0.0	0.0	LOW
KN PROPERTIES (CHEVRON)	Santa Cruz (Mission St)	0.5	2.3	INTERMEDIATE
KHOSROW HAGHSHENAS (CHEVRON)	Watsonville (Lee Rd)	0.9	1.0	INTERMEDIATE
LARRY TREVINO INC (CHEVRON)	King City (First St)	0.0	0.0	LOW

Table 2. Summary of Gasoline Stations Reviewed under AB 2588[1]

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority[2]
LAUREL HEIGHT CORP (SHELL)	Salinas (N Sanborn Rd)	0.2	0.8	LOW
MEG'S CARMEL VALLEY CHEVRON	Carmel Valley (Carmel Valley Rd)	0.4	1.5	INTERMEDIATE
MJ PETROLEUM INC (MOBIL)	Aromas (San Juan Rd)	0.2	0.6	LOW
MOHAMMAD T HUSSAINI (GREAT GAS AND FOOD MART)	Santa Cruz (Capitola Rd)	0.6	6.7	INTERMEDIATE
MOON S KIM (CITY GAS & LIQUOR)	Hollister (San Benito St)	0.4	2.2	INTERMEDIATE
MOSLEH MOHSSIN (BROTHERS MARKET)	Freedom (Buena Vista Dr)	0.8	0.7	LOW
ONETO ENTERPRISES INC (STEVE'S UNION SERVICE)	Santa Cruz (Soquel Dr)	0.0	0.2	LOW
PENINSULA PETROLEUM LLC (SHELL)	Salinas (N Main St)	0.2	1.5	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Soledad (Front St)	0.1	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Scotts Valley (Mt Hermon Rd)	0.3	2	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Salinas (S Main St)	0.0	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Salinas (N Main St)	0.1	0.3	LOW
PENINSULA PETROLEUM LLC (SHELL)	Capitola (41st Ave)	0.0	0.1	LOW
PENINSULA PETROLEUM LLC (SHELL)	Pacific Grove (Lighthouse Ave)	0.4	1.7	INTERMEDIATE
PENINSULA PETROLEUM LLC (SHELL)	Soquel (Santa Cruz)	0.1	0.4	LOW
PIERCE CENTRAL LLC (CLEARWATER EXPRESS)	Salinas (N Main St)	0.1	0.5	LOW
PILOT TRAVEL CENTERS LLC	Salinas (Work St)	0.0	0.1	LOW
QUIK STOP MARKETS INC	Felton (Highway 9)	0.6	4.2	INTERMEDIATE
QUIK STOP MARKETS INC	Royal Oaks (Porter Rd)	0.3	1.9	INTERMEDIATE
QUIK STOP MARKETS INC	Freedom (Freedom Blvd)	0.3	1.7	INTERMEDIATE
QUIK STOP MARKETS INC	Hollister (San Juan Rd)	0.3	1.4	INTERMEDIATE
QUIK STOP MARKETS INC	Salinas (Williams Rd)	0.4	1.0	INTERMEDIATE
R & C MINI MART INC (BMF RACING CO)	Hollister (San Benito St)	0.8	1.1	INTERMEDIATE
ROBINSON OIL CORPORATION (ROTTEN ROBBIE)	Salinas (S Main St)	0.3	3.7	INTERMEDIATE
RON INCE (MAIN STREET AMERICAN FUELS)	Watsonville (Main St)	0.1	0.9	LOW
SAFEWAY INC	Salinas (Constitution Blvd)	0.2	0.9	LOW
SALKHI PETROLEUM INC (CHEVRON)	Aptos (Soquel Dr)	0.6	3.4	INTERMEDIATE
SALKHI PETROLEUM INC (MT HERMON 76)	Scotts Valley (Mt Hermon Rd)	0.2	0.6	LOW
SALKHI PETROLEUM INC (CHEVRON)	Felton (Hwy 9)	0.3	0.8	LOW

Table 2. Summary of Gasoline Stations Reviewed under AB 2588[1]

Facility Name (Doing Business As)	City (Street Name)	Acute Score	Cancer Score	Priority[2]
SANBORN VENTURES INC (DOUBLETIME)	Salinas (S Sanborn Rd)	0.4	1.9	INTERMEDIATE
SAV-ON GASOLINE INC (US PRO)	Santa Cruz (Mission St)	0.5	3.4	INTERMEDIATE
SAV-ON GASOLINE INC	Santa Cruz (Ocean St)	0.4	1.8	INTERMEDIATE
SCOTTS VALLEY GAS	Scotts Valley (Scotts Valley Dr)	0.1	0.3	LOW
SEACLIFF SERVICES INC	Aptos (Sea Ridge Rd)	0.2	0.7	LOW
SHELL HARJAS INC (SHELL GAS & MINI MART)	Hollister (Tres Pinos Rd)	0.4	1.9	INTERMEDIATE
SHIRDHI INC (SALINAS SINCLAIR)	Salinas (North Davis Rd)	0.8	0.3	LOW
STAR 1 FOOD MART	Salinas (Williams Rd)	0.3	2.0	INTERMEDIATE
STURDY OIL COMPANY (VALLEY TRUCK STOP)	Salinas (Vertin Ave)	0.0	0.0	LOW
SUNIL KAPOOR (RANCH GAS AND FOOD)	Hollister (San Felipe Rd)	0.2	1.1	INTERMEDIATE
TORO PETROLEUM COMPANY (SHELL)	King City (Canal St)	0.1	0.3	LOW
TORO PETROLEUM COMPANY (BULK PLANT WITH STATION)	Hollister (McCray St)	0.4	0.1	LOW
VIN GAS AND FOOD	Felton (Graham Hill Rd)t	0.6	9.5	INTERMEDIATE
WILLIAM A PIERCE INC (ACME CAR WASH CO)	Salinas (Abbott St)	0.0	0.0	LOW

Notes:

1. The chronic score is not included because the hazard index score for all the stations was less than 0.00.
2. Stations with a priority of “Intermediate” will be reviewed again in 4 years.

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Chronic and Cancer Values Based On Using Prioritization Scores				
A & I Transport Inc	123 LEE Road, #SUITE E, WATSONVILLE	0.035	0.135	LOW
Agriculture and Land Based Training Association	1700 OLD STAGE RD, SALINAS	0.170	0.400	LOW
Alpha Teknova Inc	2320 TECHNOLOGY, HOLLISTER	0.070	0.270	LOW
Amazon.com Services LLC -HLI2	600 Ernie Drive, Hollister	0.140	0.540	LOW
Amazon.com Services LLC -HLI2	600 Ernie Drive, Hollister	0.038	0.149	LOW
American Ag Credit	924 E Blanco Rd Salinas	2.230	8.589	INTERMEDIATE
American Towers	500 LAUSEN Dr, SAN JUAN BAUTISTA	0.230	0.999	LOW
American Towers	2 MI S OF PANOCHE RD - HWY 25, HOLLISTER	1.040	1.500	INTERMEDIATE
American Towers	8 FREMONT PEAK, MONTEREY COUNTY	0.230	0.110	LOW
American Towers	8525 LOVERS LN, HOLLISTER	0.900	4.000	INTERMEDIATE
American Towers	34520 MORISOLI, SOLEDAD	0.003	0.003	LOW
American Towers	48448 LONOAK, KING CITY	1.040	3.999	INTERMEDIATE
American Towers	42822 SUSAN LN, GREENFIELD	0.900	4.000	INTERMEDIATE
Anthony Costa and Sons LLC	25891 ESPERANZA Road, SALINAS	0.047	0.182	LOW
Ashford TRS Scotts Valley LLC	6001 La Madron Dr, Scotts Valley	0.620	2.840	INTERMEDIATE
Boulder Creek Fire Protection District	13230 CENTRAL AVE, BOULDER CREEK	0.0003	1.460	INTERMEDIATE
California Department of Forestry and Fire Protection	13575 EMPIRE GRADE ROAD, SANTA CRUZ, CA 95060	0.002	0.007	LOW
California Department of Forestry and Fire Protection	25050 HIGHLAND WAY, LOS GATOS, CA 95033-9713	0.220	1.690	INTERMEDIATE
California Department of Forestry and Fire Protection	120 EUREKA CANYON ROAD, WATSONVILLE, CA	0.880	6.770	INTERMEDIATE
California Department of Forestry and Fire Protection	240 SWANTON RD, DAVENPORT, CA 95017-9701	0.002	0.014	LOW
California Department of Forestry and Fire Protection	12900 SKYLINE Blvd, LOS GATOS, CA	0.010	0.074	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
California Department of Forestry and Fire Protection	850 ELVEE DR, SALINAS, CA 93906	1.600	6.140	INTERMEDIATE
California Giant Inc	75 SAKATA Lane, WATSONVILLE	0.510	1.950	INTERMEDIATE
California Water Service Company	CASTROVILLE BLVD #204 MORO COJO DEV, CASTROVILLE	3.030	3.670	INTERMEDIATE
California Water Service Company	18411 MEADOW RIDGE RD, SALINAS	0.670	0.870	LOW
California Water Service Company	20200 PORTOLA DR, SALINAS	1.050	0.280	LOW
California Water Service Company	1 REGENCY, SALINAS	3.420	3.690	INTERMEDIATE
California Water Service Company	RIVER ROAD & INDIAN SPRINGS - STATION 50, SALINAS	0.230	0.240	LOW
California Water Service Company	1705 KLAMATH DR, SALINAS	1.060	1.560	INTERMEDIATE
California Water Service Company	1220 SAN FERNANDO DR, SALINAS	1.200	4.630	INTERMEDIATE
California Water Service Company	BITTERWATER RD STATION 4, KING CITY	0.060	0.050	LOW
California Water Service Company	MOFFETT ST & VANDEBERG - STATION 37-01, SALINAS	0.004	0.002	LOW
California Water Service Company	499 SAN JUAN GRADE RD, SALINAS	0.650	0.740	LOW
California Water Service Company	ROGGE - DRINK WELL STATION 65, SALINAS	1.200	0.560	LOW
California Water Service Company	POPPYFIELD COURT - DRINK WELL STATION 63, SALINAS	1.200	1.350	INTERMEDIATE
California Water Service Company	651 BIKLE, KING CITY	2.050	1.720	INTERMEDIATE
California Water Service Company	320 MARTELLA ST, SALINAS	2.650	3.440	INTERMEDIATE
California Water Service Company	61 NAVAJO DRIVE - DRINK WELL 22, SALINAS	1.200	1.430	INTERMEDIATE
California Water Service Company	60 W BOLIVER, SALINAS	2.560	3.410	INTERMEDIATE
California Water Service Company	1320 DAYTON - STATION 47 UNIT 1 OF 2, SALINAS	0.003	0.004	LOW
California Water Service Company	439 AIRPORT, SALINAS	0.140	0.150	LOW
California Water Service Company	819 PAJARO ST, SALINAS	1.200	1.560	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
California Water Service Company	19610 ROGGE RD, SALINAS	0.570	0.270	LOW
California Water Service Company	734 VICTOR, SALINAS	0.990	1.430	INTERMEDIATE
California Water Service Company	5 MARYAL, SALINAS	1.580	1.950	INTERMEDIATE
California Water Service Company	19625 MESA RD, SALINAS	1.500	2.850	INTERMEDIATE
California Water Service Company	776 NORTHRIDGE, SALINAS	0.380	0.520	LOW
California Water Service Company	769 SAN JACINTO DR, SALINAS	2.150	3.040	INTERMEDIATE
California Water Service Company	10110 MEADOW VIEW CIR, SALINAS	0.830	0.840	LOW
California Water Service Company	107 LAS LOMAS DRIVE, ROYAL OAKS	1.260	1.430	INTERMEDIATE
California Water Service Company	1060 NORTH DAVIS, SALINAS	1.720	6.610	INTERMEDIATE
California Water Service Company	1215 BLUFF AVE, KING CITY	1.690	0.790	LOW
California Water Service Company	25655 WISTERIA CT, SALINAS	1.690	1.960	INTERMEDIATE
California Water Service Company	1001 INDUSTRIAL WAY, KING CITY	0.007	0.004	LOW
California Water Service Company	305 WINDSOR, KING CITY	4.580	3.950	INTERMEDIATE
California Water Service Company	450 HARRISON - POTABLE WATER PUMP STATION 77 Road, SALINAS	0.820	3.170	INTERMEDIATE
California Water Service Company	22010 BERRY - POTABLE WATER PUMP #49 Street, SALINAS	4.840	1.260	INTERMEDIATE
California American Water	27539 VIA SERENO, CARMEL	3.990	7.930	INTERMEDIATE
California American Water	9210 CARMEL VALLEY RD, CARMEL	4.410	2.130	INTERMEDIATE
California American Water	5258 CARMEL VALLEY RD, CARMEL	4.920	3.550	INTERMEDIATE
California American Water	92 PASEO DE VAQUEROS, SALINAS	0.900	1.100	INTERMEDIATE
California American Water	24739 UPPER TRAIL, CARMEL	1.420	1.610	INTERMEDIATE
California American Water	UPPER ESTRELLA DE'ORO/NEXT-601 BELAVIDA, #PASADERA, MONTEREY	1.170	9.010	INTERMEDIATE
California American Water	SPRUANCE AND RONDA RD - PB WATER PUMP, PEBBLE BEACH	1.110	2.140	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
California American Water	HOLT ROAD -WW PUMP STATION, CARMEL VALLEY	1.310	1.630	INTERMEDIATE
California American Water	25725 VIA MALPASO, CARMEL	0.890	1.300	INTERMEDIATE
California American Water	HIGHWAY 1 - CORONA PUMP STATION, CARMEL	1.280	2.660	INTERMEDIATE
California American Water	RIFLE RANGE ROAD - POM BLDG 626, MONTEREY	0.970	0.960	LOW
California American Water	620 DEVISADERO ST, MONTEREY	1.330	1.470	INTERMEDIATE
California American Water	511 FOREST LODGE, PACIFIC GROVE	0.170	0.310	LOW
California American Water	25325 TIERRA GRANDE, CARMEL	1.240	3.190	INTERMEDIATE
California American Water	VIA LA NARANGA TERMINUS PLANT 52, CARMEL VALLEY	1.240	2.910	INTERMEDIATE
California American Water	25221 CASIANO DR, SALINAS	3.130	6.560	INTERMEDIATE
California American Water	RALPH LANE - AT END OF ROAD, SALINAS	2.040	2.810	INTERMEDIATE
California American Water	12195 CAROLA DR, CARMEL VALLEY	0.830	0.920	LOW
California American Water	24750 HIGH MEADOW DR, CARMEL	1.770	2.590	INTERMEDIATE
California American Water	247 LOWER WALDEN RD, CARMEL	0.004	0.007	LOW
California American Water	12755 CORTE CORDILLERA, SALINAS	0.430	0.490	LOW
California American Water	776 SLNS-MTY HWY, SALINAS	0.360	0.490	LOW
California American Water	836 CARMEL Ave, PACIFIC GROVE	1.770	6.820	INTERMEDIATE
California American Water	1561 HILBY AVE, SEASIDE	0.560	0.600	LOW
California American Water	3741 RAYMOND WAY, CARMEL	0.360	0.540	LOW
California American Water	1987 PARK CT, SEASIDE	4.920	6.790	INTERMEDIATE
California American Water	936 CARMEL, PACIFIC GROVE	2.380	4.210	INTERMEDIATE
California American Water	MESA DRIVE & HATTON - MESA PLANT, CARMEL	2.380	2.290	INTERMEDIATE
California American Water	28950 FALCON RIDGE & HAWKS FLIGHT Road, SALINAS	1.170	4.510	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Capitola Mall	1855 41st Ave. Capitola	3.510	5.410	INTERMEDIATE
Carmel Area Wastewater District	26900 HIGHWAY 1/STATE ROUTE1, CARMEL	0.080	0.370	LOW
Carmel Unified School District	4380 Carmel Valley Road, Carmel	0.340	1.300	INTERMEDIATE
Castroville Community Services District	DEL MONTE AVENUE TERMINUS, CASTROVILLE	0.001	0.006	LOW
Castroville Community Services District	11360 COMMERCIAL PKWY, CASTROVILLE	0.330	0.510	LOW
Castroville Community Services District	9878 LOS ARBOLES CIR, CASTROVILLE	0.400	0.620	LOW
Central California Alliance for Health	1600 GREEN HILLS ROAD - SUITE 101, SCOTTS VALLEY	0.310	1.180	INTERMEDIATE
Central Fire District of Santa Cruz County	312 ESTRELLA AVE, WATSONVILLE	4.760	7.330	INTERMEDIATE
Central Fire District of Santa Cruz County	3445 THURBER LN, SANTA CRUZ	1.230	2.830	INTERMEDIATE
Central Fire District of Santa Cruz County	6934 SOQUEL DR, APTOS	5.660	8.720	INTERMEDIATE
CenturyLink Communications	915 HARKINS #C, SALINAS	0.030	0.100	LOW
CenturyLink Communications	110 RAILROAD AVE, KING CITY	2.700	6.230	INTERMEDIATE
City of Carmel	SAN CARLOS ST & 9TH AVE, CARMEL	0.980	3.700	INTERMEDIATE
City of Gonzales	375 ALTA - WELL #6, GONZALES	0.500	1.930	INTERMEDIATE
City of Gonzales	109 4TH STREET, GONZALES	1.040	4.000	INTERMEDIATE
City of Greenfield	1352 OAK AVENUE - WATER STORAGE & PUMP PLANT, GREENFIELD	0.461	1.770	INTERMEDIATE
City of Greenfield	41901 WALNUT Ave, GREENFIELD	0.010	0.050	LOW
City of Greenfield	1083 ELM Ave, GREENFIELD	1.040	4.000	INTERMEDIATE
City of Greenfield	380 OAK Ave, GREENFIELD	1.310	5.040	INTERMEDIATE
City of Santa Cruz	320 VISTA BELLA DR - CARBONERA DRINK PUMP, SANTA CRUZ	1.060	4.080	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
City of Santa Cruz	4699 THURBER LN - DRINKING WATER PUMP STATION, SANTA CRUZ	1.060	4.080	INTERMEDIATE
City of Santa Cruz	1425 HIGH Street, SANTA CRUZ	0.520	1.980	INTERMEDIATE
City of Scotts Valley	410 POLO RANCH ROAD - TRACT 1575, SCOTTS VALLEY	0.01	0.27	LOW
City of Scotts Valley	552 BEAN CREEK - MONTE VALLE PUMP STATION Road, SCOTTS VALLEY	0.59	2.28	INTERMEDIATE
City of Scotts Valley	120 GLEN CANYON - GLEN CANYON LIFT STA, SCOTTS VALLEY	0.684	2.63	INTERMEDIATE
City of Seaside	986 HILBY Ave, SEASIDE	2.1	7.83	INTERMEDIATE
City of Soledad	VIDA STREET X VISTA/LA CUESTA WATER TANK, SOLEDAD	1.750	6.750	INTERMEDIATE
City of Watsonville	212 HARKINS SLOUGH ROAD, WATSONVILLE, CA 95076-ND	0.640	2.480	INTERMEDIATE
City of Watsonville	6 WESTGATE DRIVE - SEWER PUMP #16, WATSONVILLE	0.620	2.380	INTERMEDIATE
City of Watsonville	101 WEST FRONT - STORMWATER PUMP STATION, WATSONVILLE	2.570	9.900	INTERMEDIATE
City of Watsonville	740 BRONTE AVE - DELATA WAY PUMP STATION, WATSONVILLE	2.570	1.230	INTERMEDIATE
City of Watsonville	100 EAST FRONT ST - STORM WATER PUMP #2, WATSONVILLE	2.680	6.180	INTERMEDIATE
City of Watsonville Water Operations	702 VISTA MONTANA DRIVE - WELL #2, WATSONVILLE	1.500	5.790	INTERMEDIATE
City of Watsonville Water Operations	101 LIGHTHOUSE DRIVE - SEAVIEW RANCH WELL #3, WATSONVILLE	0.620	2.400	INTERMEDIATE
City of Watsonville Water Operations	319 HAMES - DRINKING WATER BOOSTER, WATSONVILLE	2.040	7.840	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
City of Watsonville Water Operations	121 G SECOND ST - DRINKING WATER WELL #10, WATSONVILLE	0.760	2.940	INTERMEDIATE
City of Watsonville Water Operations	50 SKYLARK, WATSONVILLE	2.570	9.900	INTERMEDIATE
City of Watsonville Water Operations	6 EUREKA CANYON RD - DRINKING WELL #19, WATSONVILLE	2.490	9.580	INTERMEDIATE
Comcast	3200 DEL MONTE BLVD, MARINA	0.630	2.420	INTERMEDIATE
Comcast	2455 HENDERSON WAY, MONTEREY	0.014	0.053	LOW
Comcast	109 E LAKE ST, SALINAS	0.630	2.420	INTERMEDIATE
Comcast	104 WHISPERING PINES DR, SCOTTS VALLEY	1.260	4.860	INTERMEDIATE
Comcast	2455 HENDERSON WAY, MONTEREY	0.020	0.090	LOW
County of Monterey	4601 PARKER FLATS CUT OFF, SEASIDE	0.020	0.100	LOW
County of Monterey	970 CIRCLE DRIVE - YOUTH CENTER, SALINAS	1.450	3.350	INTERMEDIATE
County of Monterey	1422 NATIVIDAD, SALINAS	0.370	1.430	INTERMEDIATE
County of Monterey	240 CHURCH - COURT HOUSE NORTH WING Street, SALINAS	1.250	4.820	INTERMEDIATE
County of Monterey	1420 Natividad Road Salinas	2.450	9.420	INTERMEDIATE
County of Monterey	845 East Laurel Drive Salinas	0.050	0.210	LOW
County of Monterey	1270 Natividad Road, Salinas	0.590	2.270	INTERMEDIATE
County of Monterey	1590 Moffet Street, Salinas	0.180	0.420	LOW
County of Monterey	168 West Alisal Street, Salinas	0.640	2.480	INTERMEDIATE
County of Monterey	855 E. Laurel Drive, Salinas	0.050	0.210	LOW
County of Monterey	1441 SCHILLING - COUNTY BUILDING Place, SALINAS	0.01	0.04	LOW
County of Monterey	1488 SCHILLING Place, SALINAS	0.01	0.02	LOW
County of Santa Cruz - General Services Department	141 Blaine St, Santa Cruz	0.593	2.280	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
County of Santa Cruz - General Services Department	1400 Emeline Ave, Santa Cruz	1.380	3.190	INTERMEDIATE
County of Santa Cruz - General Services Department	1060 Emeline Ave, Santa Cruz	0.990	1.530	INTERMEDIATE
County of Santa Cruz - General Services Department	1020 Emeline Ave., Santa Cruz	0.790	3.020	INTERMEDIATE
County of Santa Cruz - General Services Department	5300 Soquel Dr, Santa Cruz	1.800	6.580	INTERMEDIATE
County of Santa Cruz - General Services Department	1430D Freedom Blvd., Watsonville	4.130	6.360	INTERMEDIATE
County of Santa Cruz - General Services Department	90 Rountree Ln, Watsonville	0.070	0.260	LOW
County of Santa Cruz - General Services Department	500 Westridge Dr., Santa Cruz	0.760	2.910	INTERMEDIATE
Crown Realty Management	48449 LONOAK Road, KING CITY	0.850	3.280	INTERMEDIATE
CVR HSGE LLC	1 OLD RANCH RD, CARMEL VALLEY	1.450	3.350	INTERMEDIATE
DF INDEPENDENT PARTNERS	600 ORTIZ AVE #204, SAND CITY	0.930	3.590	INTERMEDIATE
Dominican Oaks	3400 PAUL SWEET Road, SANTA CRUZ	0.210	0.820	LOW
El Camino Water Company	531 ECKHART, SALINAS	0.165	0.636	LOW
ENTRAVISION, INC. KSMS-TV	FREMONT PEAK SAN JUAN CANYON RD SAN JUAN BAUTISTA	0.001	0.005	LOW
ET HOLLISTER LLC	1551 CITATION WAY, HOLLISTER	0.540	1.950	INTERMEDIATE
FED EX FREIGHT INC	670 WORK Street, SALINAS	0.180	0.693	LOW
Federal Aviation Administration	2475 HENDERSON, MONTEREY	1.120	4.297	INTERMEDIATE
Fox Creek Farms LLC	33750 EAST CARMEL VALLEY ROAD, CARMEL VALLEY	0.470	1.790	INTERMEDIATE
Fox Factory Inc	915 DISC, SCOTTS VALLEY	0.15	0.59	LOW
Gavilan Joint Community College District	505 FAIRVIEW Road, HOLLISTER	1.57	6.04	INTERMEDIATE
General Farm Investment	252 HITCHCOCK Road, SALINAS	0.01	0.05	LOW
General Farm Investment	5 FOSTER Road, SALINAS	1.040	4.000	INTERMEDIATE
Glaum Egg Ranch	3100 VALENCIA Road, APTOS	0.390	1.510	INTERMEDIATE
Golden State Water Company	4450 SAN JUAN OAKS Drive, HOLLISTER	0.010	0.020	LOW
Golden State Water Company	1364 KATE Way, HOLLISTER	0.050	0.200	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Gowan Seed Company	25445 Chualar River Road, Chualar	1.190	4.580	INTERMEDIATE
HH Tower Group, LLC	10805 Saddle Road, Monterey	1.040	4.000	INTERMEDIATE
HH Tower Group, LLC	10805 Saddle Road, Monterey	1.570	6.040	INTERMEDIATE
Hopkins Marine Station of Stanford University	120 OCEAN VIEW BLVD, PACIFIC GROVE	0.690	2.660	INTERMEDIATE
Judicial Council of California	250 FRANCISCAN Way, KING CITY	0.260	1.000	INTERMEDIATE
KIM FAMILY ENTERPRISES LLC	180 Westgate Dr Watsonville	0.430	3.340	INTERMEDIATE
Kind Real Estate	2346 ALISAL, SALINAS, CA	0.300	1.149	INTERMEDIATE
KION TV / NPG of Monterey	1550 Moffett Street, Salinas	0.410	0.630	LOW
KION TV / News Press Gazette of Monterey	20260 Corral Del Cielo Road, Salinas	0.010	0.020	LOW
La Placa Family Inc	9280 HIGHWAY 9, #1, BEN LOMOND	0.820	3.160	INTERMEDIATE
Lazer Holdings LLC	919 FREEDOM BOULEVARD, WATSONVILLE	1.420	5.460	INTERMEDIATE
Level 3 Communications	61921 Cattlemen Rd, San Ardo	2.970	6.850	INTERMEDIATE
LSB ENTERPRISE LLC	145 ZABALA RD, SALINAS	0.490	1.900	INTERMEDIATE
Marina Coast Water District	RESERVATION & BLANCO BLDG 55, MARINA	0.290	0.450	LOW
Marina Coast Water District	PARKER FLATS CUT OFF, MARINA	0.002	0.006	LOW
Marina Coast Water District	7698 GIGLING, SEASIDE	0.380	1.310	INTERMEDIATE
Marina Coast Water District	GIGLING ROAD-THE PARKS AT MONTEREY BAY, Bldg 4395, SEASIDE	1.870	7.210	INTERMEDIATE
Marina Coast Water District	IMJIN PARKWAY BLDG 232, MARINA	0.790	3.050	INTERMEDIATE
Marina Coast Water District	RESERVATION ROAD - BLDG 701, MARINA	0.850	3.250	INTERMEDIATE
Marina Coast Water District	5790 WARRELMAN COURT - SCHOONOVER LIFT BLD5713, MARINA	0.650	2.520	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Marina Coast Water District	LANDRUM CT BLDG 5447, MARINA	0.650	2.520	INTERMEDIATE
Marina Coast Water District	IMJIN PARKWAY - BLDG 5871, MARINA	1.370	5.270	INTERMEDIATE
Marina Coast Water District	5790 HODGES, MARINA	0.650	2.520	INTERMEDIATE
Marina Coast Water District	13330 RESERVATION, MARINA	0.030	0.110	LOW
Marina Coast Water District	400 8TH, MARINA	0.150	0.590	LOW
Marina Coast Water District	6143 CLARK COURT, MARINA	0.790	3.050	INTERMEDIATE
Marina Coast Water District	13022 RESERVATION RD, EAST GARRISON	1.170	4.510	INTERMEDIATE
Marina Coast Water District	3279 DUNES DRIVE, MARINA	0.040	0.150	LOW
Marina Coast Water District	HAYES CIRCLE BLDG 8775, MARINA	0.900	3.030	INTERMEDIATE
M-K-S DODSON INC	50630 MESA VERDE ROAD, KING CITY	0.001	0.002	LOW
Monterey Capital Investments	225 10TH Street, MARINA	1.260	4.840	INTERMEDIATE
Monterey Dunes Colony Mutual Water Company	195 Monterey Dunes Way Moss Landing	0.120	0.480	LOW
Monterey Military Housing LLC (The Parks at Monterey Bay)	5145 Farragut Rd. Monterey	0.950	3.660	INTERMEDIATE
Monterey Peninsula Surgery Centers	966 Cass Street, Suite 150, Monterey	2.190	5.050	INTERMEDIATE
Monterey Peninsula Surgery Centers	665 Munras Ave, Suite 100, Monterey	0.450	1.040	INTERMEDIATE
Monterey Peninsula Surgery Centers	2 Upper Ragsdale, Suite B-160, Monterey	0.014	0.053	LOW
Monterey Peninsula Water Management District	45 San Clemente Drive, Carmel Valley	0.530	2.020	INTERMEDIATE
Monterey Salinas Transit	271 RIANDA Street, SALINAS	0.080	0.300	LOW
Morales Family Trust	25540 CHUALAR RIVER Road, CHUALAR	0.210	0.820	LOW
National Marine Fisheries Service/NOAA	110 MCALLISTER WAY, SANTA CRUZ	0.590	2.280	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Nature's Reward	9 HARRIS PLACE SUITE A, SALINAS	2.30	8.850	INTERMEDIATE
Nepenthe/Phoenix Corporation	48510 HIGHWAY 1, BIG SUR	1.010	2.330	INTERMEDIATE
New Cingular Wireless PCS LLC	38987 METZ Road, GREENFIELD	0.024	0.006	LOW
Pacific Gas and Electric	114 BRIDGE ST, SALINAS	1.140	2.640	INTERMEDIATE
Pacific Gas and Electric	SANTA RITA PEAK, SAN BENITO COUNTY	0.000	0.000	LOW
Pacific Gas and Electric	PANOCHE ROAD - CALL MOUNTAIN REPEATER, PAICINES	0.000	0.000	LOW
Pacific Gas and Electric	150 7TH Street, HOLLISTER	1.120	4.297	INTERMEDIATE
Pacific Gas and Electric	11 WALKER, WATSONVILLE	0.160	0.730	LOW
Pacific International Marketing Inc.	1622 Moffett St. Salinas	0.000	0.001	LOW
Pajaro Sunny Mesa CSD	RAILROAD & ALLISON WELL SITE, WATSONVILLE	0.890	3.410	INTERMEDIATE
Pajaro Sunny Mesa CSD	1081 MARLIN LN & WAYJACK LANE WELL SITE, ROYAL OAKS	0.400	1.550	INTERMEDIATE
Pajaro Sunny Mesa CSD	ADJACENT TO 13249 AVILA RD, MOSS LANDING	1.190	4.580	INTERMEDIATE
Pajaro Sunny Mesa CSD	8252 MOSS LANDING, MOSS LANDING	0.08	0.31	LOW
Pajaro Sunny Mesa CSD	NEXT TO 71 ELKHORN ROAD, ROYAL OAKS	0.21	0.82	LOW
Pajaro Sunny Mesa CSD	1081 MARLIN LN & WAYJACK LANE WELL SITE, ROYAL OAKS	0.400	1.550	INTERMEDIATE
Pebble Beach Co	1576 CYPRESS DR - BEACH & TENNIS, PEBBLE BEACH	0.610	2.350	INTERMEDIATE
Pebble Beach Co	2136 SUNSET Drive, PACIFIC GROVE	0.320	1.240	INTERMEDIATE
Prologis LP	2901 MICHAEL DR, HOLLISTER	0.005	0.021	LOW
Rava Business Park Inc	700 AIRPORT DR, KING CITY	1.210	4.650	INTERMEDIATE
Raw Connection	26200 Carmel Rancho Blvd, Carmel	0.080	0.310	LOW
RCT Land Company	37700 FOOTHILL RD, SOLEDAD	0.03	0.21	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
San Andreas Association LP MP	295 SAN ANDREAS SUITE 401 Road, WATSONVILLE	2.490	9.600	INTERMEDIATE
San Lorenzo Valley Water District	7710 EAST ZAYANTE Road, FELTON	3.440	7.940	INTERMEDIATE
San Lorenzo Valley Water District	600 SAN LORENZO, FELTON	1.690	3.900	INTERMEDIATE
San Lorenzo Valley Water District	365 MADRONE DR, BOULDER CREEK	1.140	2.640	INTERMEDIATE
San Lorenzo Valley Water District	1611 QUAIL HOLLOW RD, BEN LOMOND	0.720	3.310	INTERMEDIATE
Santa Cruz Port District	425 Brommer Street Ext., Santa Cruz	0.0008	0.0001	LOW
Scotts Valley Unified School District	555 GLENWOOD Drive, SCOTTS VALLEY	0.0003	0.530	LOW
Scotts Valley Unified School District	8 BEAN CREEK Road, SCOTTS VALLEY	0.0003	0.520	LOW
Scotts Valley Unified School District	151 VINE HILL Road, SCOTTS VALLEY	0.0004	0.830	LOW
Scotts Valley Unified School District	151 BROOK KNOLL Drive, SANTA CRUZ	0.0004	0.920	LOW
Scotts Valley Water District	70 EL PUEBLO Road, SCOTTS VALLEY	0.0002	0.960	LOW
SJRS Real Estate Company LLC	240 WESTGATE Drive, WATSONVILLE	0.001	0.005	LOW
Soquel Creek Water District	2000 BONITA DR WELL, APTOS	6.010	9.250	INTERMEDIATE
Soquel Creek Water District	5738 1/2 SOQUEL DR WELL, SOQUEL	2.300	8.850	INTERMEDIATE
Soquel Creek Water District	2255 HUNTINGTON DR, APTOS	0.360	1.380	INTERMEDIATE
Soquel Creek Water District	41st & SOQUEL, SOQUEL	0.370	1.420	INTERMEDIATE
Soquel Creek Water District	3139 MAR VISTA DRIVE, APTOS	1.260	4.840	INTERMEDIATE
Soquel Creek Water District	201 AUSTRIAN, SOQUEL	1.260	4.840	INTERMEDIATE
Soquel Creek Water District	4507 CORNWELL RD PUMP STATION, SOQUEL	1.700	6.535	INTERMEDIATE
Spectrum Pacific West LLC	35 EL CAMINO REAL, GREENFIELD	1.260	4.840	INTERMEDIATE

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Spectrum Pacific West LLC	475 AIRPORT BLVD, WATSONVILLE	1.360	5.240	INTERMEDIATE
Stanislaus Regional Housing Authority	113 TIERRA ALTA DR A, WATSONVILLE	0.530	2.040	INTERMEDIATE
Sunnyslope County Water District	2100 SOUTHSIDE RD, HOLLISTER	1.570	6.060	INTERMEDIATE
Sunnyslope County Water District	2783 SOUTHSIDE RD A, HOLLISTER	1.030	3.970	INTERMEDIATE
Sunnyslope County Water District	560 MARKS, HOLLISTER	1.050	4.030	INTERMEDIATE
Sunnyslope County Water District	2100 SOUTHSIDE RD, HOLLISTER	4.730	7.290	INTERMEDIATE
Superior Foods International	275 Westgate Drive, Watsonville	0.050	0.019	LOW
Target Corporation	133 GENERAL STILLWELL DRIVE, MARINA	0.045	0.173	LOW
The Home Depot	355 S GREEN VALLEY RD, WATSONVILLE	1.240	1.140	INTERMEDIATE
The Home Depot	1590 CANYON DEL REY BLVD, SEASIDE	0.470	0.830	LOW
The Home Depot	2600 41ST AVE, SOQUEL	2.470	1.580	INTERMEDIATE
The Home Depot	1890 N DAVIS RD, SALINAS	0.230	0.500	LOW
The Nunes Company Inc	757 ABBOTT STREET, SALINAS	0.204	0.787	LOW
T-MOBILE WEST LLC	6810 PACHECO PASS HIGHWAY, HOLLISTER	0.140	0.540	LOW
T-MOBILE WEST LLC	112 LEE Road, WATSONVILLE	0.140	0.540	LOW
T-MOBILE WEST LLC	17114 CACHAGUA Road, CARMEL VALLEY	0.140	0.540	LOW
T-MOBILE WEST LLC	9 VALLEY HILL LANE, CARMEL	0.150	0.600	LOW
T-MOBILE WEST LLC	2641 SCHOOL ROAD, SAN JUAN BAUTISTA	0.560	2.160	INTERMEDIATE
TRIPLE B CORP	1681 SAN JUSTO ROAD, SAN JUAN BAUTISTA	0.012	0.048	LOW
United Parcel Service (UPS)	251 SYLVANIA Ave, SANTA CRUZ	1.060	4.070	INTERMEDIATE
United States Geological Survey (USGS)	Palo Escrito Peak, Soledad	0.0005	0.0003	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Valley Heights Senior Rental Community	925 FREEDOM BOULEVARD, WATSONVILLE	1.420	5.460	INTERMEDIATE
Verizon Business	911 Harkins Road, Salinas	0.003	0.001	LOW
Verizon Wireless	55580 LOCKWOOD Road, SAN LUCAS	0.000	0.001	LOW
Verizon Wireless	42820 SUSAN LN, GREENFIELD	0.004	0.002	LOW
Verizon Wireless	21570 POTTER RD, SALINAS	0.001	0.000	LOW
Verizon Wireless	499 LAUSEN, SAN JUAN BAUTISTA	1.180	0.680	LOW
Verizon Wireless	11 GROVE ST, WATSONVILLE	0.010	0.010	LOW
Verizon Wireless	3262 IMJIN RD, MARINA	0.010	0.010	LOW
Verizon Wireless	180 BEACH, MARINA	0.560	2.160	INTERMEDIATE
Verizon Wireless	615 7TH AVE, SANTA CRUZ	0.140	0.060	LOW
Verizon Wireless	FIFTH ST, GONZALES	0.570	0.480	LOW
Verizon Wireless	140 W BLANCO RD, SALINAS	0.470	0.450	LOW
Verizon Wireless	3400 RED WOLF DR, CARMEL	0.007	0.039	LOW
Verizon Wireless	16789 AVERY LN, SALINAS	0.290	0.250	LOW
Verizon Wireless	370 AIRPORT BLVD, WATSONVILLE	0.570	0.110	LOW
Verizon Wireless	12500 EMPIRE GRADE, SANTA CRUZ	0.006	0.003	LOW
Verizon Wireless	TABLE MOUNTAIN, PARKFIELD	0.001	0.001	LOW
Verizon Wireless	6500 SOQUEL DR, APTOS	0.020	0.010	LOW
Verizon Wireless	1276 HIGHWAY 1, MOSS LANDING	0.002	0.001	LOW
Verizon Wireless	45204 BITTERWATER RD, KING CITY	0.001	0.001	LOW
Verizon Wireless	10805 SADDLE RD, MONTEREY	0.630	0.040	LOW
Verizon Wireless	2680 BUENA VISTA RD, HOLLISTER	0.630	0.270	LOW
Verizon Wireless	17114 CACHAGUA RD, CARMEL VALLEY	0.200	0.170	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Verizon Wireless	315 SOUTHWOOD DR, SCOTTS VALLEY	0.630	0.330	LOW
Verizon Wireless	22970 HIGHWAY 17 B, LOS GATOS	0.160	0.610	LOW
Verizon Wireless	1755 DEL MONTE BLVD, SEASIDE	0.030	0.020	LOW
Verizon Wireless	7000 ROSE ACRES LN GTE, FELTON	0.030	0.010	LOW
Verizon Wireless	590 BRUNKEN AVE, SALINAS	0.060	0.240	LOW
Verizon Wireless	48448 LONOAK RD, KING CITY	0.160	0.090	LOW
Verizon Wireless	55 DUNBARTON RD, AROMAS	0.630	0.420	LOW
Verizon Wireless	20 HARRIS, SALINAS	0.007	0.007	LOW
Verizon Wireless	860 DOLAN, CASTROVILLE	0.160	0.040	LOW
Verizon Wireless	25445 CHUALAR RIVER RD, CHUALAR	0.150	0.080	LOW
Verizon Wireless	SAN ARDO/BRADLEY SEMAS MT, BRADLEY	0.001	0.0003	LOW
Verizon Wireless	HIGHWAY 101 AND ROCKS RD, SAN JUAN BAUTISTA	0.007	0.005	LOW
Verizon Wireless	8348 AIRLINE HWY, TRES PINOS	0.030	0.020	LOW
Verizon Wireless	1880 NORTH MAIN STREET, SALINAS	0.620	0.380	LOW
Verizon Wireless	2325 SOQUEL DR, SANTA CRUZ	1.040	4.000	INTERMEDIATE
Verizon Wireless	1301 MUNRAS AVENUE, MONTEREY	0.040	0.160	LOW
Verizon Wireless	1950 SAN PABLO AVE, SEASIDE	1.040	4.000	INTERMEDIATE
Verizon Wireless	1021 MONTEREY SALINAS HWY, SALINAS	0.002	0.007	LOW
Verizon Wireless	2801 MISSION ST, SANTA CRUZ	0.260	1.000	INTERMEDIATE
Vista West of Monterey, LLC	Fremont Peak, San Benito County	0.037	0.143	LOW
Wild Horse Café	50630 Mesa Verde Road King City	0.001	0.002	LOW

Table 3. Summary of Diesel-Fueled Emergency Engines Reviewed under AB 2588[1,2]

Facility Name	Address	Chronic Score	Cancer Score	Priority
Chronic and Cancer Values Based On Health Risk Assessment				
Alisal Union School District	1240 COOPER Ave, SALINAS	0.001	5.88E-06	LOW
Aromas-San Juan Unified School District	2000 San Juan Hwy, San Juan Bautista	0.0002	0.894	LOW
California American Water	LINCOLN ST SOUTH ST - TANK & PUMP PLANT, CHUALAR	0.0001	0.578	LOW
California American Water	511 FOREST LODGE ROAD, PACIFIC GROVE	0.0002	0.998	LOW
City of Greenfield	131 SOUTH EL CAMINO REAL - TYLER LIFT STATION, GREENFIELD	3.58E-04	1.55E-06	LOW
City of Hollister	711 SOUTH ST #1 - WELL #4, HOLLISTER, CA 95023	1.67E-04	0.724	LOW
City of Salinas – Fire Department	216 WEST ALISAL STREET - FIRE STATION #1, SALINAS	8.07E-04	3.49E-06	LOW
Marina Coast Water District	630 MONTEREY ROAD, SEASIDE	0.0001	0.247	LOW
Monterey Military Housing LLC (The Parks at Monterey Bay)	598 Shubrick Rd. Monterey	0.0002	0.893	LOW
Pebble Beach Co	4005 SUNRIDGE - CORP YARD Road, PEBBLE BEACH, CA 93953	0.1300	0.490	LOW
Salud Para La Gente	204 EAST BEACH STREET, WATSONVILLE	9.61E-04	4.25E-06	LOW

Notes:

1. An acute score is not included because diesel particulate matter does not have an acute exposure health value (CARB, 2024).
2. Engines with a priority of "Intermediate" will be reviewed again in 4 years based on actual engine use.

Table 4. Summary of Gasoline, Natural Gas, and Propane Emergency Engines Reviewed under AB 2588[1]

Facility Name	Address	Fuel Type	Acute Score	Chronic Score	Cancer Score	Priority
Acute, Chronic and Cancer Values Based On Prioritization Scores						
787 MUNRAS AVENUE LLC	787 MUNRAS, MONTEREY	Natural Gas	0.019	0.014	0.003	LOW
ACP MONTEREY HOTEL JV LLC DBA MONTEREY BEACH HOTEL	2600 SAND DUNES Drive, MONTEREY	Natural Gas	0.019	0.014	0.001	LOW
ACP MONTEREY HOTEL JV LLC DBA MONTEREY BEACH HOTEL	2600 SAND DUNES Drive, MONTEREY	Natural Gas	0.041	0.029	0.003	LOW
BENGARD RANCH INC	375 WEST MARKET Street, SALINAS	Natural Gas	0.095	0.070	0.023	LOW
CALIFORNIA DEPARTMENT OF FORESTRY AND FIRE PROTECTION	25820 AIRLINE HIGHWAY, PAICINES	LPG	0.011	0.008	0.008	LOW
CALIFORNIA DEPARTMENT OF FORESTRY AND FIRE PROTECTION	13575 EMPIRE GRADE Rd, SANTA CRUZ	LPG	0.000	0.000	0.000	LOW
CALIFORNIA DEPARTMENT OF FORESTRY AND FIRE PROTECTION	7276 EMPIRE GRADE, SANTA CRUZ	LPG	0.628	0.005	0.064	LOW
CALIFORNIA DEPARTMENT OF PARKS & RECREATION	20161 BIG BASIN WAY, BOULDER CREEK	LPG	0.021	0.015	0.004	LOW
CALIFORNIA REDWOODS CHRISTIAN CORPORATION	15000 TWO BAR ROAD - ADMIN BLDG, BOULDER CREEK	LPG	0.006	0.000	0.003	LOW
CARMEL AREA WASTEWATER DISTRICT	7902 VALLEY GREENS DRIVE, CARMEL	Natural Gas	0.068	0.084	0.083	LOW
CARMEL AREA WASTEWATER DISTRICT	Hacienda Carmel Community, CARMEL VALLEY	Natural Gas	0.218	0.157	0.016	LOW
CARMEL MISSION BASILICA	3080 RIO Road, CARMEL	Natural Gas	0.001	0.0001	0.046	LOW
CITY OF GONZALES	201 C Street, GONZALES	Natural Gas	2.760	0.040	4.200	INTERMEDIATE

Table 4. Summary of Gasoline, Natural Gas, and Propane Emergency Engines Reviewed under AB 2588[1]

Facility Name	Address	Fuel Type	Acute Score	Chronic Score	Cancer Score	Priority
CITY OF SANTA CRUZ - PUBLIC WORKS DEPARTMENT	SC RIVERWALK &NE SAN LORENZO RIVER BRIDG Street, SANTA CRUZ	Natural Gas	0.413	0.301	0.836	LOW
CITY OF SANTA CRUZ - WATER DEPARTMENT	106 LIMESTONE LANE, SANTA CRUZ	Natural Gas	0.430	0.270	0.370	LOW
CLINICA DE SALUD DEL VALLE DE SALINAS	126 5TH Street, GONZALES	Natural Gas	0.068	0.084	0.083	LOW
COPPERHEAD CREEK LLC	73580 PLEYTO CEMETERY Road, BRADLEY	LPG	0.001	0.001	0.0002	LOW
COPPERHEAD CREEK LLC	73580 PLEYTO CEMETERY Road, BRADLEY	LPG	0.001	0.001	0.0002	LOW
DENNIS CAPRARA RC FARMS LLC	425 ALTA ST #A, GONZALES	Natural Gas	0.460	0.290	0.050	LOW
DESTINY COYOTE RANCH (DCR)	164 PLEASANT VALLEY ROAD, APTOS	LPG	0.007	0.005	0.005	LOW
FAITH & FAMILY FARMS	22730 FUJI LN, SALINAS	Natural Gas	0.370	0.230	0.040	LOW
GUEST SERVICES COMPANY OF VIRGINIA LLC	47225 HIGHWAY 1, BIG SUR	LPG	0.242	0.002	0.084	LOW
GUEST SERVICES COMPANY OF VIRGINIA LLC	47225 HIGHWAY 1, BIG SUR	Natural Gas	0.040	0.002	0.069	LOW
MAGNETIC CIRCUIT ELEMENTS, INC.	1540 MOFFETT Street, SALINAS	LPG	0.190	0.014	0.203	LOW
MEALS ON WHEELS MONTEREY PENINSULA	700 JEWELL Street, PACIFIC GROVE	Natural Gas	0.413	0.240	1.120	INTERMEDIATE
MONTEREY PENINSULA COUNTRY CLUB	2940 OLD 17 MILE DR, PEBBLE BEACH	Natural Gas	0.110	0.080	0.030	LOW
MONTEREY PENINSULA COUNTRY CLUB	3000 CLUB Road, PEBBLE BEACH	Natural Gas	0.800	0.580	0.190	LOW
MONTEREY PENINSULA WATER MANAGEMENT DISTRICT	5 HARRIS COURT - BUILIDING G, MONTEREY	Natural Gas	0.449	0.305	0.022	LOW
NEW CINGULAR WIRELESS PCS LLC	28372 BIG BASIN WAY, BOULDER CREEK	LPG	0.005	0.004	0.001	LOW

Table 4. Summary of Gasoline, Natural Gas, and Propane Emergency Engines Reviewed under AB 2588[1]

Facility Name	Address	Fuel Type	Acute Score	Chronic Score	Cancer Score	Priority
NEW CINGULAR WIRELESS PCS LLC	16789 AVERY LN, SALINAS	LPG	0.010	0.007	0.002	LOW
PACIFIC GAS AND ELECTRIC COMPANY	37390 RIVER Road, SOLEDAD	LPG	0.000	0.000	0.000	LOW
PACIFIC GAS AND ELECTRIC COMPANY	11 WALKER, WATSONVILLE	Natural Gas	0.261	0.160	0.730	LOW
PEBBLE BEACH COMPANY	3253 STEVENSON DR - HAY'S PLACE, PEBBLE BEACH	Natural Gas	0.095	0.070	0.023	LOW
POST RANCH LP	47900 HIGHWAY 1, BIG SUR	LPG	0.120	0.090	0.020	LOW
QUAIL LODGE INC	8205 VALLEY GREENS DR, CARMEL	Natural Gas	0.003	0.004	0.002	LOW
SALINAS VALLEY HEALTH	212 SAN JOSE Street, SALINAS	LPG	0.053	0.039	0.009	LOW
SALINASIDENCE OPCO LLC	720 EAST ROMIE, SALINAS	Natural Gas	0.232	0.003	0.353	LOW
SAN LORENZO VALLEY WATER DISTRICT	545 FALL CREEK DR PUMP STN, FELTON	LPG	0.052	0.038	0.009	LOW
SAN LORENZO VALLEY WATER DISTRICT	11590 LAKE BOULEVARD, FELTON	LPG	0.052	0.038	0.009	LOW
SAN LORENZO VALLEY WATER DISTRICT	1611 QUAIL HOLLOW RD, BEN LOMOND	LPG	0.089	0.065	0.015	LOW
SAN LORENZO VALLEY WATER DISTRICT	ZAYANTE DRIVE, FELTON	LPG	0.089	0.065	0.015	LOW
SANTA LUCIA COMMUNITY SERVICES DISTRICT	121 RANCHO SAN CARLOS - BLDG A Road, CARMEL	LPG	0.229	0.526	0.721	LOW
SCOTTS VALLEY WATER DISTRICT	408 POLO RANCH Road, SCOTTS VALLEY	LPG	0.369	0.013	0.418	LOW
THE CARMEL FOUNDATION	SE Corner of Lincoln and 8th, Carmel	Natural Gas	0.379	0.925	0.092	LOW

Table 4. Summary of Gasoline, Natural Gas, and Propane Emergency Engines Reviewed under AB 2588[1]

Facility Name	Address	Fuel Type	Acute Score	Chronic Score	Cancer Score	Priority
THE PRESERVE GOLF CLUB INC	19 PRONGHORN RUN, CARMEL	LPG	0.229	0.526	0.721	LOW
THE RANCH CLUB INC	85 RANCHO SAN CARLOS Road, CARMEL	LPG	0.229	0.526	0.721	LOW
THE RANCH CLUB INC	63 RANCHO SAN CARLOS RD, CARMEL	LPG	0.650	0.410	0.070	LOW
USA WASTE OF CALIFORNIA INC	11240 COMMERCIAL Parkway, CASTROVILLE	Natural Gas	0.002	0.003	0.003	LOW
Acute, Chronic and Cancer Values Based On Health Risk Assessment						
CLINICA DE SALUD DEL VALLE DE SALINAS	55 PLAZA CIRCLE, Suite A, SALINAS, CA 93901	Natural Gas	0.041	3.34E-04	4.93E-07	LOW
CUSTOM HOUSE HOTEL LP	2 PORTOLA, MONTEREY, CA 93940	Natural Gas	0.263	0.002	6.16E-07	LOW
IVY PARK AT MONTEREY	1110 CASS ST, MONTEREY, CA	Natural Gas	0.030	4.58E-05	6.76E-08	LOW
PANOCHE VALLEY SOLAR LLC	721 LITTLE PANOCHE RD, SAN BENITO COUNTY, CA	Natural Gas	0.000	2.53E-04	6.04E-07	LOW
SCOTTS VALLEY FIRE PROTECTION DISTRICT	7 ERBA LN, SCOTTS VALLEY, CA 95066-4103	Natural Gas	0.210	0.001	2.67E-07	LOW

Notes:

1. Engines with a priority of “Intermediate” will be reviewed again in 4 years based on actual engine use.