Online Asbestos Notification Submittal

Compliance



Create an Account

• Create an account on Accela Citizen Access https://aca-prod.accela.com/MBARD/Default.aspx Preferred browsers are Google Chrome or Microsoft Edge.

• From the Accela Citizen Access (ACA) login screen, enter a username and password the click "Login".



Log in Screen

Monterey Bay Air Resources District Monterey Bay Air Resources District Phone: (831) 647-9411

QT

Accessibility Support Register for an Account Login



Advanced Search 🔻

Welcome to the new Citizen Portal

We are pleased to offer our citizens, businesses, and visitors access to government services online, 24 hours a day, 7 days a week.

In partnership with Accela, Inc., we are fulfilling our promise to deliver powerful e-government services and provide valuable information about the community while making your interactions with us more efficient, convenient, and interactive. To use ALL the services we provide you must register and create a user account. You can view information, get questions answered and have limited services as an anonymous user. We trust this will provide you with a new, higher level of service that makes living and working in our community a more enjoyable experience.

What would you like to do today?

To get started, select one of the services listed below:

General Information	Applications
ookup Property Information	Search Applications

Login	
User Name or E-mail:	
1	
Password:	
•••••	
	Login »
Remember me on this o	omputer

I've forgotten my password New Users: Register for an Account

Create New Application

Monterey Bay Air Resources District				Monterey Bay	Air Resources Dis Phone: (831) 647-
	Logged in as:Cindy12@	Accessibility Support	Collections (1) 🗸	Account Management	Logout
			Search		Q
Home Applications					
Dashboard My F	Records My A	Click on Appli	cation		
WelcomeCindy12@					
rou are now togged in.					
What would you like to d To get started, select one of	f the services listed below:				
What would you like to d To get started, select one of General Information	f the services listed below: Applicat	ons			
What would you like to d To get started, select one of General Information	is today? f the services listed below: Applicati Create an Ap Search Appli	ONS plication cations	_		

Monterey Bay Air Resources District, 24580 Silver Cloud Court, Monterey, CA 93940



Complete Disclaimer and Continue

Resources District			Monterey Bay	Air Resources D Phone: (831) 64
<u> </u>	Logged in as:Cindy12@	Collections (1) 🗸	Account Management	Logout
		Search		Q
Home Applications				
Create an Application	Search Applications			
Online Application				
Welcome to MBARD's Online Permis update information, pay fees, sched application, and print your final reco	tting System. Using this system you can submit ar lule inspections, track the status of your ord all from the convenience of your home or	d		
Welcome to MBARD's Online Permi update information, pay fees, sched application, and print your final reco office, 24 hours a day. Please "Allow Pop-ups from This Sit General Disclaimer below before be	tting System. Using this system you can submit ar lule inspections, track the status of your ord all from the convenience of your home or te" before proceeding. You must accept the eginning your application.	d		
Welcome to MBARD's Online Permi update information, pay fees, sched application, and print your final reco office, 24 hours a day. Please "Allow Pop-ups from This Sit General Disclaimer below before be General Disclaimer While MBARD attempts to keep it neither warrants nor makes repre-	tting System. Using this system you can submit ar lule inspections, track the status of your ord all from the convenience of your home or te [®] before proceeding. You must accept the eginning your application.	d		
Welcome to MBARD's Online Permi update information, pay fees, sched application, and print your final reco office, 24 hours a day. Please "Allow Pop-ups from This Sit General Disclaimer below before be While MBARD attempts to keep it neither warrants nor makes repre- this Web site, its suitability for use virus, or non-infringement of prop from a variety of sources and are a result of updates and correction	tting System. Using this system you can submit ar lule inspections, track the status of your ord all from the convenience of your home or te" before proceeding. You must accept the aginning your application. s Web information accurate and timely, MBARD sentations as to the functionality or condition of e, freedom from interruptions or from computer prietary rights. Web materials have been compilec subject to change without notice from MBARD as is.	d		
Welcome to MBARD's Online Permi update information, pay fees, sched application, and print your final reco office, 24 hours a day. Please "Allow Pop-ups from This Sit General Disclaimer below before be General Disclaimer While MBARD attempts to keep it neither warrants nor makes repre- this Web site, its suitability for use virus, or non-infringement of prop from a variety of sources and are a result of updates and correction	tting System. Using this system you can submit ar lule inspections, track the status of your ord all from the convenience of your home or te" before proceeding. You must accept the eginning your application. s Web information accurate and timely, MBARD sentations as to the functionality or condition of e, freedom from interruptions or from computer prietary rights. Web materials have been compiled subject to change without notice from MBARD as is.	d		

Choose "Record Type"



	Be	gin	Not	ifica	atio	n	
			Step	o 1			
	1 Location Information	2 Contact Information	3 Notification Information	4 Documentation	5 Emergency Information	6 7 8	
/	Step 1: Locatio Address	n Information > A	Address & Parcel		*ind	icates a required field.	
Please provide as accurate address as possible, if unable to locate by search.	Enter address inform the popup list. Street No.: Unit Type: Select • City: Search Cle	mation where the De	Street Name:	is located and click "Sea Street Type: Select	arch." Then select th	ne address from	
	Parcel						
Address can be populated by Parcel Number. Note:	Enter the parcel nu Parcel Number:	mber if known.					
Sometimes parcel information will be	Search Cle	ear					Montorov Pour Air
provide an address.	Continue Applic	cation »					Resources District

Begin Contact Information Step 2

			ſ				0.8
				Search			- Q.
Home Applicat	ions						
Create an Applie	cation Searc	ch Applications					
Asbestos Demolitio	on and Renovation I	Notification					
Location Information	2 Contact Information	3 Notification	4 Documentation	5 Emergency Information	6	7	8
Step 2: Contact Please complete the requ required for demolitions a Applicant	Information > C ired contacts for demolitio nd an Abatement Contrac	ontacts in and asbestos removal. In a tor is required for renovation:	addition to the required Contac s. An Abatement Contractor m	ct Types listed below, a D hay also be required for de *ind	emo Contr molitions. cates a re	actor i equire	s d field.
Step 2: Contact Please complete the requ required for demolitions a Applicant Applicant is the comp	Information > C ired contacts for demolibind an Abatement Contrac	ontacts In and asbestos removal. In a tor is required for renovation: notification. This is a r	addition to the required Contac s. An Abatement Contractor m equired field. To add ne	ct Types listed below, a De lay also be required for de * ind w contacts, click the !	emo Contr molitions. cates a re Select fr	actor i equire	s d field.
Step 2: Contact Please complete the requ required for demolitions a Applicant Applicant is the comp Account or Add New	Information > C ired contacts for demolition an Abatement Contrac pany applying for the button. To edit cont	ontacts n and asbestos removal. In a tor is required for renovation: notification. This is a m act, click the Edit link.	addition to the required Contac s. An Abatement Contractor m equired field. To add ne	t Types listed below, a De lay also be required for de *ind w contacts, click the :	emo Contr molitions. cates a re Gelect fr	actor i equire	s d field.
Step 2: Contact Please complete the required for demolitions a Applicant Applicant is the comp Account or Add New Select from Acco	Information > C ired contacts for demolition an Abatement Contrac pany applying for the button. To edit cont button. To edit cont	ontacts In and asbestos removal. In a tor is required for renovation: notification. This is a re- act, click the Edit link.	addition to the required Contac s. An Abatement Contractor m equired field. To add ne	ct Types listed below, a De lay also be required for de * ind w contacts, click the s	emo Contr molitions. cates a re Gelect fr	actor i equire	s d field.
Step 2: Contact Please complete the requ required for demolitions a Applicant Applicant is the comp Account or Add New Select from Accco Demo Contrac	Information > C ired contacts for demolition an Abatement Contrac pany applying for the button. To edit cont butt Add New tor	ontacts n and asbestos removal. In a tor is required for renovation: notification. This is a re act, click the Edit link.	addition to the required Contac s. An Abatement Contractor m equired field. To add ne	t Types listed below, a Da lay also be required for de *ind w contacts, click the :	emo Contr molitions. cates a re Gelect fr	actor i equire	s d field.

Enter Contact Information that apply to the notification:

Asbestos Removal Notifications require the following contacts: Applicant Abatement Contractor Disposal Site Waste Hauler Facility Owner

Demolition Notifications require the following contacts: Applicant Demolition Contractor Abatement Contractor (if non-friable reported) Disposal Site Waste Hauler Facility Owner



Please follow comments for all required contacts.

Select from Account

Add New

Look Up

Contacts (continued)

Abatement Contractor

Abatement Contractor is required for all renovations. If demolitions have asbestos material that has been previously removed or is not regulated, the Demo Contractor should complete this information. To add new contacts, click the Select from Account or Add New button. To edit contact, click the Edit link.

Look Up

Waste Hauler

Select from Account

Waste Hauler is the company transporting asbestos containing waste materials. To add new contacts, click the Select from Account or Add New button. To edit contact, click the Edit link.

Select from Account Add New Look Up

Add New

Disposal Site

Please follow comments.

Disposal Site is where the construction material and/or asbestos containing material is being disposed. To add new contacts, click the Select from Account or Add New button. To edit contact, click the Edit link.





Notification and Project Information



Notification Information Step 3 (continued)

Applications

Home

Create an Application Search Applications Asbestos Demolition and Renovation Notification 3 Notification Location ² Contact Information 5 Emergency 1 4 Documentation 6 7 8 Information Information Step 3: Notification Information > Removal/Demo Dates * indicates a required field. Asbestos Removal Dates ASBESTOS REMOVAL DATES For Demolition Projects the asbestos dates will be for Non-Friable. Showing 0-0 of 0 Asbestos Removal Start Date Asbestos Removal Complete Date **Renovation Notices:** No records found. Add a Row 🛛 💌 Edit Selected Delete Selected Enter the Start and End dates for **Regulated Asbestos Removal.** Demolition Dates DEMOLITION DATES **Demolition Notices:** Showing 0-0 of 0 Enter the Start and End dates. Demolition Start Date Demolition Complete Date Cannot before current date. No records found. Add a Row 🛛 🔻 Edit Selected **Delete Selected Continue Application »** Monterey Bay Air **Resources District**

Notifications shall be submitted no later than 10 working days prior to the start date of either a Renovation or Demolition.

Emergency Notices for Renovation or Demolition can be submitted, if prior approval from MBARD has been granted.

Notification Information Step 3 (continued)

Stop 7 Notific	ation Information	ion - Ashestes Permo	val Info	montaion		
step 5. Notific	auon mormau	ion>Asbestos kemo	vatimo		* indicates a r	equire
RACM Remov	/al					
RACM REMOVAL						
Showing 0-0 of 0						
Pipes nothin	(linear ft.). Enter "0" if g to report	Surface Area (square ft.) nothing to report	Enter "0" if Vol. RACM "0" if noth	l off Facility Compone ing to report	nt (cubic ft.).	Enter
No records found.						
Add a Row 💌	Edit Selected	Delete Selected				
Non Frishla (neval				
Non Friable C	CAT I ACM Ren	noval				
Non Friable C	CAT I ACM Ren	noval				
Non Friable C	CAT I ACM Ren	noval				
Non Friable C NON FRIABLE CA	CAT I ACM Ren	noval L				
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes	CAT I ACM Ren T I ACM REMOVAL (linear ft.). Enter "0" if r	NOVAL	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found.	CAT I ACM Rem T I ACM REMOVAL (linear ft.). Enter "0" if r	NOVAL	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found.	CAT I ACM Ren T I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected	noval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row	CAT I ACM Ren T I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected	noval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row	CAT I ACM Rem IT I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected	noval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable C	CAT I ACM Rem IT I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected CAT II ACM Ref	noval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row V Non Friable C	CAT I ACM Rem <i>T I ACM REMOVAL</i> (linear ft.). Enter "0" if r Edit Selected CAT II ACM Rem	noval L nothing to report Delete Selected moval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable C NON FRIABLE CA	CAT I ACM Rem <i>T I ACM REMOVAL</i> (linear ft.). Enter "0" if r Edit Selected CAT II ACM REMOVA	noval L nothing to report Delete Selected moval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable C NON FRIABLE CA Showing 0-0 of 0	CAT I ACM Rem <i>T I ACM REMOVAL</i> (linear ft.). Enter "0" if r Edit Selected CAT II ACM REMOVA	noval L nothing to report Delete Selected moval	Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable CA NON FRIABLE CA Showing 0-0 of 0 Pipes	CAT I ACM Rem T I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected CAT II ACM REMOVA (linear ft.). Enter "0" if r	noval L nothing to report Delete Selected moval L	Surface Area (square ft.). I Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found.	CAT I ACM Rem T I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected CAT II ACM REMOVA (linear ft.). Enter "0" if r	noval L nothing to report Delete Selected MOVal L NL nothing to report	Surface Area (square ft.). I Surface Area (square ft.). I	Enter "0" if nothing to	report	
Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found. Add a Row Non Friable C NON FRIABLE CA Showing 0-0 of 0 Pipes No records found.	CAT I ACM Rem IT I ACM REMOVAL (linear ft.). Enter "0" if r Edit Selected CAT II ACM REMOVA (linear ft.). Enter "0" if r Edit Selected	noval L nothing to report Delete Selected MOVal L NL Delete Selected	Surface Area (square ft.). I Surface Area (square ft.). I	Enter "0" if nothing to	report	

Click on "Add a Row" to enter Material Details.

Notification Information

<u> </u>	
Ston 2	(continued)
	ICONTINUED

Asbestos Demolition and Renovation Notification 1 Location 2 Contact 3 Notification 4 Documentation 5 Emergency 6 7 Step 3: Notification Information > Work Description *Indicates a required f Work Description Work Description Bescription of planned demolition or renovation work, including method(s) to be used: gett check Description of asbestos materials: gett check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation or renovation or site: • Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:	Asbestos Demoliti	on and Renovation N	otification					
Abestes Demolition and Renovation Notification 1 Location 2 Contact Information 2 Contact Information 3 Notification 4 Documentation 5 Entergency 6 7 Step 3: Notification Information > Work Description work Description WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: Description of absestos materials: Description of work practices and engineering controls to be used Description of work practices and engineering controls to be used Description of procedures to be followed in the event that unexpected absestos is found or previously nontriable asbestos	Asbestos Demoliti	on and Renovation N	otification					
1 Location Information 2 Contact Information 3 Notification Information 4 Documentation 5 Emergency Information 6 7 Step 3: Notification Information > Work Description *Indicates a required fi Work Description WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: #pell check #pell check Description of asbestos materials: pell check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: #pell check Description of procedures to be followed in the event that anterial becomes triable:	Location		ornearion					
Step 3: Notification Information > Work Description *indicates a required f WORK Description WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: pescription of asbestos materials: pescription of asbestos materials: pescription of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: • Description of procedures to be followed in the event that unexpected asbestos is to be followed in the event that unexpected asbestos is to be followed in the event that unexpected asbestos friable:	internation	² Contact Information	3 Notification Information	4 Documentation	5 Emergency Information	6	7	8
Step 3: Notification Information > Work Description *indicates a required if Work Description WORK DESCRIPTION Description of planned demolition or renovation work, including nethod(s) to be used: pescription of asbestos materials: Spell check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Pescription of procedures to be followed in the event that metarebasebos is found or previously nonfriable asbestos:								_
*indicates a required f WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: Description of asbestos materials: Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable: Period Control of the prevent that unexpected asbestos is found or previously nonfriable asbestos	Step 3 : Notifica	ation Information	>Work Description	n				
WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: spell check Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:					* indica	ites a re	quired	l fie
WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: Description of asbestos materials: Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:	Work Descrip	tion						
WORK DESCRIPTION Description of planned demolition or renovation work, including method(s) to be used: Description of asbestos materials: Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:								
Description of planned demolition or renovation work, including method(s) to be used: Description of asbestos materials: Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:	WORK DESCRIPTI	ON N						
Description of planned demonstron or renovation work, including method(s) to be used: spell check Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:			i					
Description of asbestos materials: spell check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: spell check Description of procedures to be followed in the event that interpreted asbestos is found or previously nonfriable asbestos material becomes friable: spell check	nethod(s) to be used	a demontion of renovat	ion work, including	~				
Description of asbestos materials: Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos material becomes friable:								
Description of asbestos materials: spell check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: spell check 'Description of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos naterial becomes friable: spell check				~				
Description of asbestos materials: Description of work practices and engineering controls to be used o prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:			sp	ell check				
pescription of work practices and engineering controls to be used or prevent emissions of asbestos and/or dust at the demolition or enovation site: spell check Pescription of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos naterial becomes friable: spell check	Description of asbes	tos materials:	Γ					
spell check Spell				\sim				
spell check Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:				\sim				
Description of work practices and engineering controls to be used to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that inexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:			50	ell check				
to prevent emissions of asbestos and/or dust at the demolition or renovation site: Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:	Description of work	practices and engineerin	g controls to be used					
PDescription of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos naterial becomes friable:	o prevent emissions	of asbestos and/or dus	t at the demolition or	^				
* Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:				~				
*Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:								
*Description of procedures to be followed in the event that unexpected asbestos is found or previously nonfriable asbestos material becomes friable:			sp	ell check				
material becomes friable:		aduras to be followed in	the event that					
	Description of proc	s is found or previously i	nonfriable asbestos	~				
	Description of proc inexpected asbesto naterial becomes fri	able:	nonfriable asbestos	^				

Continue Application »

Documents

Step 4

					Search		
Home Applicatio	ons						
Create an Applica	ition Search Ap	plications					
Asbestos Demolition	and Renovation Notifi	cation					
1 ² Contact Information	³ Notification Information	4 Documentation	5 Emergency Information	6 Review	7	8	
Step 4:Documen	tation > Supporting	Documentation					

Attachment

Please attach any documentation associated with your project or equipment. (examples: Asbestos Survey, Safety Data Sheets, Supplemental Forms, or Manufacturer Equipment Specifications.)

The maximum file size allowed is 100 MB.

ade; adp; bat; chm; cmd; com; cpl; exe; hta; htm; html; ins; isp; jar; js; jse; lib; lnk; mde; mht; mhtml; msc; msp; mst; php; pif; scr; sct; shb; sys; vb; vbe; vbs; vxd; wsc; wsf; wsh are disallowed file types to upload.

ame	Туре	Size	Latest Update	Action
No records f	ound.			
Add				
Continue	Application »			



Emergency Information Step 5

		Scaron		
Home Applications				
Create an Application Search Applications				
Asbestos Demolition and Renovation Notification				
1 2 3 Notification 4 Documentation 5 Em Information	ergency rmation 6 F	Review	7 Pay Fees	8
Step 5: Emergency Information > Emergency Information > Emergency Information	formation		* indicates a require	d field.
EMERGENCY INFORMATION				
Date of Emergency:				
Description of the sudden, unexpected event:		$\langle \rangle$		
Explanation of how the event caused unsafe conditions or would cause equipment damage or unreasonable financial burden:	spell check spell check	$\langle \rangle$		
Continue Application »				

Review Step 6



Step 6: Review

Continue Application »

Save and resume later

Please review all information below. Click the "Edit" buttons to make changes to sections or "Continue Application" to move on.



PAY FEES - STEP 7

Step 7: Pay Fees

Listed below are the fees for this application. For permit applications, the fees shown are due and payable on the next page. For asbestos notifications, if you are submitting a demolition notice, enter the number of buildings under the column QTY. For asbestos notifications, if you are submitting a renovation notice, enter the number "1" under the column QTY in the row matching the RACM category for your project. Asbestos notification fees are due and payable on the next page.

Application Fees

Fees	Qty.	Amount
Demolition Fee	0	\$0.00
Asbestos Removal Fee: 160-999 Sq Ft or 260-499 Lf or >=35 Cubic Ft	0	\$0.00
Asbestos Removal Fee: 1000-1499 Sq Ft or 500-749 Lf	0	\$0.00
Asbestos Removal Fee: 1500-1999 Sq Ft or 750-999 Lf	0	\$0.00
Asbestos Removal Fee: 2000-3999 Sq Ft or 1000-1999 Lf	0	\$0.00
Asbestos Removal Fee: 4000-9999 Sq Ft or 2000-2999 Lf	0	\$0.00
Asbestos Removal Fee: 10000-19999 Sq Ft or 3000- 4999 Lf	0	\$0.00
Asbestos Removal Fee: 20000-29999 Sq Ft or 5000- 6999 Lf	0	\$0.00
Asbestos Removal Fee: 30000-39999 Sq Ft or 7000- 9999 Lf	0	\$0.00
Asbestos Removal Fee: 40000-49999 Sq Ft or 10000- 11999 Lf	0	\$0.00
Asbestos Removal Fee: >= 50000 Sq Ft	0	\$0.00

Recalculate

TOTAL FEES: \$0.00

Record Issuance Step 8

Home Applicatio	ns			
Create an Applica	tion Search Applica	ations		
Asbestos Demolition	and Renovation Notification	on		
1 2 3 4 Docu	mentation 5 Emergency Information	6 Review	7 Pay Fees	8 Record Issuance
Step 8 : Record Is	suance			
Your appli Please prin	cation has been successfully su ht your record and retain a copy	ibmitted. y for your records.		
Fhank you for using our or Your Record Number i	line services. s ASB-22-0006.			
You will need this numb	er to check the status of your a	pplication. Please print a c	opy of your record for futu	ire reference.

Monterey Bay Air Resources District

View Record Details »